


SLANGEKOBLINGER, STANDARD

DFOS – Metrisk hun 24° konus med o-ring, svær serie

Varenummer	Slangestørrelse			Metrisk gevind størrelse		Dimension (mm)			
	DN	Inch	Dash	F	Rør	H	L	S	O-RING
0222DFOS0314	5	3/16"	-03	M14x1,5	6S	21	46	17	5x1
0222DFOS0316	5	3/16"	-03	M16x1,5	8S	21	46	19	6x1,5
0222DFOS0414 *	6,3	1/4"	-04	M14x1,5	6S	23	51	17	5x1
0222DFOS0416	6,3	1/4"	-04	M16x1,5	8S	22	50	19	6x1,5
0222DFOS0418	6,3	1/4"	-04	M18x1,5	10S	24	52	22	7,5x1,5
0222DFOS0420	6,3	1/4"	-04	M20x1,5	12S	24	52	24	9x1,5
0222DFOS0518	8	5/16"	-05	M18x1,5	10S	24	52	22	7,5x1,5
0222DFOS0520	8	5/16"	-05	M20x1,5	12S	24	52	24	9x1,5
0222DFOS0618 *	10	3/8"	-06	M18x1,5	10S	25	55	22	7,5x1,5
0222DFOS0620	10	3/8"	-06	M20x1,5	12S	24	54	24	9x1,5
0222DFOS0622	10	3/8"	-06	M22x1,5	14S	28	58	27	10x2
0222DFOS0822	12,5	1/2"	-08	M22x1,5	14S	28	61	27	10x2
0222DFOS0824	12,5	1/2"	-08	M24x1,5	16S	29	62	30	12x2
0222DFOS1030	16	5/8"	-10	M30x2	20S	33	69	36	16,3x2,4
0222DFOS1230	19	3/4"	-12	M30x2	20S	36	76	36	16,3x2,4
0222DFOS1236	19	3/4"	-12	M36x2	25S	38	78	46	20,3x2,4
0222DFOS1636	25	1"	-16	M36x2	25S	40	91	46	22x2
0222DFOS1642	25	1"	-16	M42x2	30S	40	91	50	25,3x2,4
0222DFOS2042	31,5	1 1/4"	-20	M42x2	30S	41	99	50	25,3x2,4
0222DFOS2052	31,5	1 1/4"	-20	M52x2	38S	45	103	60	33,3x2,4
0222DFOS2452	38	1 1/2"	-24	M52x2	38S	46	110	60	33,3x2,4




* Crimped omløber

SLANGEKOBLINGER, STANDARD

DFOS4 – Metrisk hun 24° konus med o-ring, svær serie 45° bøjning

Varenummer	Slangestørrelse			Metrisk gevind størrelse		Dimension (mm)				
	DN	Inch	Dash	F	Rør	H	L	K	S	O-RING
0222DFOS40314	5	3/16"	-03	M14x1,5	6S	34	59	14	17	5x1
0222DFOS40316	5	3/16"	-03	M16x1,5	8S	35	60	14	19	6x1,5
0222DFOS40414 *	6,3	1/4"	-04	M14x1,5	6S	35	63	14	17	5x1
0222DFOS40416	6,3	1/4"	-04	M16x1,5	8S	36	64	14	19	6x1,5
0222DFOS40418	6,3	1/4"	-04	M18x1,5	10S	38	66	16	22	7,5x1,5
0222DFOS40420	6,3	1/4"	-04	M20x1,5	12S	39	67	17	24	9x1,5
0222DFOS40518	8	5/16"	-05	M18x1,5	10S	39	67	17	22	7,5x1,5
0222DFOS40520	8	5/16"	-05	M20x1,5	12S	39	67	18	24	9x1,5
0222DFOS40618 *	10	3/8"	-06	M18x1,5	10S	40	70	17	22	7,5x1,5
0222DFOS40620	10	3/8"	-06	M20x1,5	12S	40	71	18	24	9x1,5
0222DFOS40622	10	3/8"	-06	M22x1,5	14S	42	72	19	27	10x2
0222DFOS40822	12,5	1/2"	-08	M22x1,5	14S	46	79	20	27	10x2
0222DFOS40824	12,5	1/2"	-08	M24x1,5	16S	47	80	21	30	12x2
0222DFOS41030	16	5/8"	-10	M30x2	20S	56	92	25	36	16,3x2,4
0222DFOS41230	19	3/4"	-12	M30x2	20S	64	105	27	36	16,3x2,4
0222DFOS41236	19	3/4"	-12	M36x2	25S	64	105	28	46	20,3x2,4
0222DFOS41636	25	1"	-16	M36x2	25S	82	133	34	41	22x2
0222DFOS41642	25	1"	-16	M42x2	30S	80	131	31	50	25,3x2,4
0222DFOS42042	31,5	1 1/4"	-20	M42x2	30S	96	154	41	50	25,3x2,4
0222DFOS42052	31,5	1 1/4"	-20	M52x2	38S	94	152	38	60	33,3x2,4
0222DFOS42452	38	1 1/2"	-24	M52x2	38S	115	180	49	60	33,3x2,4




* Crimped omløber

SLANGEKOBLINGER, STANDARD

DFOS9 – Metrisk hun 24° konus med o-ring, svær serie 90° bøjning

Varenummer	Slangestørrelse			Metrisk gevind størrelse		Dimension (mm)				
	DN	Inch	Dash	F	Rør	H	L	S	K	O-RING
0222DFOS90314	5	3/16"	-03	M14x1,5	6S	27	52	28	17	5x1
0222DFOS90316	5	3/16"	-03	M16x1,5	8S	27	52	28	19	6x1,5
0222DFOS90414 *	6,3	1/4"	-04	M14x1,5	6S	25	53	26	17	5x1
0222DFOS90416	6,3	1/4"	-04	M16x1,5	8S	29	57	29	19	6x1,5
0222DFOS90418	6,3	1/4"	-04	M18x1,5	10S	29	57	30	22	7,5x1,5
0222DFOS90420	6,3	1/4"	-04	M20x1,5	12S	29	57	32	24	9x1,5
0222DFOS90518	8	5/16"	-05	M18x1,5	10S	31	59	33	22	7,5x1,5
0222DFOS90520	8	5/16"	-05	M20x1,5	12S	28	56	32	24	9x1,5
0222DFOS90618 *	10	3/8"	-06	M18x1,5	10S	30	61	33	22	7,5x1,5
0222DFOS90620	10	3/8"	-06	M20x1,5	12S	31	61	33	24	9x1,5
0222DFOS90622	10	3/8"	-06	M22x1,5	14S	34	64	37	27	10x2
0222DFOS90822	12,5	1/2"	-08	M22x1,5	14S	39	71	41	27	10x2
0222DFOS90824	12,5	1/2"	-08	M24x1,5	16S	39	71	42	30	12x2
0222DFOS91030	16	5/8"	-10	M30x2	20S	44	80	49	36	16,3x2,4
0222DFOS91230	19	3/4"	-12	M30x2	20S	54	94	55	36	16,3x2,4
0222DFOS91236	19	3/4"	-12	M36x2	25S	54	94	57	41	20,3x2,4
0222DFOS91636	25	1"	-16	M36x2	25S	70	121	70	46	22x2
0222DFOS91642	25	1"	-16	M42x2	30S	70	121	66	50	25,3x2,4
0222DFOS92042	31,5	1 1/4"	-20	M42x2	30S	84	141	84	50	25,3x2,4
0222DFOS92052	31,5	1 1/4"	-20	M52x2	38S	84	141	80	60	33,3x2,4
0222DFOS92452	38	1 1/2"	-24	M52x2	38S	100	164	101	60	33,3x2,4



* Crimped omløber

SLANGEKOBLINGER, STANDARD

DMS – Metrisk han 24° konus, svær serie

Varenummer	Slangestørrelse			Metrisk gevind størrelse		Dimension (mm)		
	DN	Inch	Dash	F	Rør	H	L	S
0222DMS030614	5	3/16"	-03	M14x1,5	6S	23	48	14
0222DMS030816	5	3/16"	-03	M16x1,5	8S	23	48	17
0222DMS040614	6,3	1/4"	-04	M14x1,5	6S	23	51	14
0222DMS040816	6,3	1/4"	-04	M16x1,5	8S	23	51	17
0222DMS041018	6,3	1/4"	-04	M18x1,5	10S	24	52	19
0222DMS041220	6,3	1/4"	-04	M20x1,5	12S	25	53	22
0222DMS051018	8	5/16"	-05	M18x1,5	10S	24	52	19
0222DMS051220	8	5/16"	-05	M20x1,5	12S	25	53	22
0222DMS061018	10	3/8"	-06	M18x1,5	10S	24	55	19
0222DMS061220	10	3/8"	-06	M20x1,5	12S	25	56	22
0222DMS061422	10	3/8"	-06	M22x1,5	14S	27	58	22
0222DMS081422	12,5	1/2"	-08	M22x1,5	14S	28	61	22
0222DMS081624	12,5	1/2"	-08	M24x1,5	16S	29	62	24
0222DMS102030	16	5/8"	-10	M30x2	20S	32	68	30
0222DMS122030	19	3/4"	-12	M30x2	20S	33	74	30
0222DMS122536	19	3/4"	-12	M36x2	25S	37	78	36
0222DMS162536	25	1"	-16	M36x2	25S	39	90	36
0222DMS163042	25	1"	-16	M42x2	30S	43	94	46
0222DMS203042	31,5	1 1/4"	-20	M42x2	30S	44	101	46
0222DMS203852	31,5	1 1/4"	-20	M52x2	38S	48	105	55
0222DMS243852	38	1 1/2"	-24	M52x2	38S	48	112	55

