


SLANGEKOBLINGER, RUSTFRI, STD.

XDFOS - Metrisk hun 24° konus med o-ring, svær serie

Varenummer	Slangestørrelse			Metrisk gevind størrelse		Dimension (mm)		
	DN	Inch	Dash	G	Rør	A	C	SW
0222XDFOS0314	5	3/16"	-03	M 14 x 1,5	6	19,5	3	17
0222XDFOS0316	5	3/16"	-03	M 16 x 1,5	8	23,5	3	19
0222XDFOS0414	6	1/4"	-04	M 14 x 1,5	6	21	3,7	17
0222XDFOS0416	6	1/4"	-04	M 16 x 1,5	8	25	4	19
0222XDFOS0418	6	1/4"	-04	M 18 x 1,5	10	27	4	22
0222XDFOS0420	6	1/4"	-04	M 20 x 1,5	12	28	4	24
0222XDFOS0424	6	1/4"	-04	M 24 x 1,5	16	31,5	4	30
0222XDFOS0516	8	5/16"	-05	M 16 x 1,5	8	22	5,5	19
0222XDFOS0518	8	5/16"	-05	M 18 x 1,5	10	26	5,5	22
0222XDFOS0520	8	5/16"	-05	M 20 x 1,5	12	28	5,5	24
0222XDFOS0522	8	5/16"	-05	M 22 x 1,5	14	20,5	5,5	27
0222XDFOS0524	8	5/16"	-05	M 24 x 1,5	16	31,5	5,5	30
0222XDFOS0616	10	3/8"	-06	M 16 x 1,5	8	30	4,5	19
0222XDFOS0618	10	3/8"	-06	M 18 x 1,5	10	26	7	22
0222XDFOS0620	10	3/8"	-06	M 20 x 1,5	12	26	7	24
0222XDFOS0622	10	3/8"	-06	M 22 x 1,5	14	27	7	27
0222XDFOS0624	10	3/8"	-06	M 24 x 1,5	16	31,5	7	30
0222XDFOS0630	10	3/8"	-06	M 30 x 2	20	37	7	36
0222XDFOS0820	12	1/2"	-08	M 20 x 1,5	12	26	8	24
0222XDFOS0822	12	1/2"	-08	M 22 x 1,5	14	24	9,5	27
0222XDFOS0824	12	1/2"	-08	M 24 x 1,5	16	31,5	9,5	30
0222XDFOS0830	12	1/2"	-08	M 30 x 2	20	36,5	9,5	36
0222XDFOS0836	12	1/2"	-08	M 36 x 2	25	29	9,5	46
0222XDFOS1024	16	5/8"	-10	M 24 x 1,5	16	31,5	11	30
0222XDFOS1030	16	5/8"	-10	M 30 x 2	20	37,5	12,5	36
0222XDFOS1036	16	5/8"	-10	M 36 x 2	25	40,5	12,5	46
0222XDFOS1230	19	3/4"	-12	M 30 x 2	20	33,5	14,5	36
0222XDFOS1236	19	3/4"	-12	M 36 x 2	25	41	14,5	46
0222XDFOS1242	19	3/4"	-12	M 42 x 2	30	44	14,5	50
0222XDFOS1636	25	1"	-16	M 36 x 2	25	39,5	20	46
0222XDFOS1642	25	1"	-16	M 42 x 2	30	44,5	20	50
0222XDFOS1652	25	1"	-16	M 52 x 2	38	50,5	20	60
0222XDFOS2052	31	1 1/4"	-20	M 52 x 2	38	49	25,5	60
0222XDFOS2452	38	1 1/2"	-24	M 52 x 2	38	40,5	29	60
0222XDFOS2468	38	1 1/2"	-24	M 68 x 2	50	49	31,5	80




SØRENSEN & KOFOED A/S
SMEDEHOLM 7-9 2730 HERLEV TLF: 44 92 10 88 WWW.SKDK.DK

Dimensioner kan ændres uden forudgående varsel

SLANGEKOBLINGER, RUSTFRI, STD.

XDFOS4 - Metrisk hun 24° konus med o-ring, svær serie, 45° bøjning


Varenummer	Slangestørrelse			Metrisk gevind størrelse		Dimension (mm)			
	DN	Inch	Dash	G	Rør	A	B	C	SW
0222XDFOS40316	5	3/16"	-03	M 16 x 1,5	8	37	16,5	3	19
0222XDFOS40414	6	1/4"	-04	M 14 x 1,5	6	37	15	4	17
0222XDFOS40416	6	1/4"	-04	M 16 x 1,5	8	38,5	16,5	4	19
0222XDFOS40418	6	1/4"	-04	M 18 x 1,5	10	38,5	16,5	4	22
0222XDFOS40420	6	1/4"	-04	M 20 x 1,5	12	42	19,5	4	24
0222XDFOS40516	8	5/16"	-05	M 16 x 1,5	8	48	23	4	19
0222XDFOS40518	8	5/16"	-05	M 18 x 1,5	10	44,5	19	5,5	22
0222XDFOS40520	8	5/16"	-05	M 20 x 1,5	12	44,5	19	5,5	24
0222XDFOS40618	10	3/8"	-06	M 18 x 1,5	10	45,5	20	7	22
0222XDFOS40620	10	3/8"	-06	M 20 x 1,5	12	43,5	18,5	7	24
0222XDFOS40622	10	3/8"	-06	M 22 x 1,5	14	54,5	23,5	7	27
0222XDFOS40624	10	3/8"	-06	M 24 x 1,5	16	55,5	24	7	30
0222XDFOS40820	12	1/2"	-08	M 20 x 1,5	12	62,5	27,5	8,5	24
0222XDFOS40824	12	1/2"	-08	M 24 x 1,5	16	57	25	9,5	30
0222XDFOS40830	12	1/2"	-08	M 30 x 2	20	65	32	9,5	36
0222XDFOS41030	16	5/8"	-10	M 30 x 2	20	69	28	12,5	36
0222XDFOS41230	19	3/4"	-12	M 30 x 2	20	71,5	27	12,5	36
0222XDFOS41236	19	3/4"	-12	M 36 x 2	25	83	37	14,5	46
0222XDFOS41242	19	3/4"	-12	M 42 x 2	30				50
0222XDFOS41636	25	1"	-16	M 36 x 2	25	98	39	18,5	46
0222XDFOS41642	25	1"	-16	M 42 x 2	30	98	39,5	20	50
0222XDFOS41652	25	1"	-16	M 52 x 2	38				60
0222XDFOS42052	31	1 1/4"	-20	M 52 x 2	38	116	47	25	60
0222XDFOS42468	38	1 1/2"	-24	M 68 x 2	50	137	53	31	80



SLANGEKOBLINGER, RUSTFRI, STD.

XDFOS9 - Metrisk hun 24° konus med o-ring, svær serie, 90° bøjning

Varenummer	Slangestørrelse			Metrisk gevind størrelse		Dimension (mm)			
	DN	Inch	Dash	G	Rør	A	B	C	SW
0222XDFOS90316	5	3/16"	-03	M 16 x 1,5	8	28	28,5	3	19
0222XDFOS90414	6	1/4"	-04	M 14 x 1,5	6	28	28,5	4	17
0222XDFOS90416	6	1/4"	-04	M 16 x 1,5	8	28	29,5	4	19
0222XDFOS90418	6	1/4"	-04	M 18 x 1,5	10	28,5	29,5	4	22
0222XDFOS90420	6	1/4"	-04	M 20 x 1,5	12	29	33,5	4	24
0222XDFOS90516	8	5/16"	-05	M 16 x 1,5	8	36	40,5	4	19
0222XDFOS90518	8	5/16"	-05	M 18 x 1,5	10	31,5	39	5,5	22
0222XDFOS90520	8	5/16"	-05	M 20 x 1,5	12	34,5	37	5,5	24
0222XDFOS90618	10	3/8"	-06	M 18 x 1,5	10	35	37,5	7	22
0222XDFOS90620	10	3/8"	-06	M 20 x 1,5	12	34	38	7	24
0222XDFOS90622	10	3/8"	-06	M 22 x 1,5	14	42	42	7	27
0222XDFOS90624	10	3/8"	-06	M 24 x 1,5	16	43	42,5	7	30
0222XDFOS90820	12	1/2"	-08	M 20 x 1,5	12	45	53	8,5	24
0222XDFOS90824	12	1/2"	-08	M 24 x 1,5	16	44	45,5	9,5	30
0222XDFOS90830	12	1/2"	-08	M 30 x 2	20	46	59	9,5	36
0222XDFOS91030	16	5/8"	-10	M 30 x 2	20	59	51	12,5	36
0222XDFOS91230	19	3/4"	-12	M 30 x 2	20	61,5	54,5	12,5	36
0222XDFOS91236	19	3/4"	-12	M 36 x 2	25	72	64	14,5	46
0222XDFOS91242	19	3/4"	-12	M 42 x 2	30				50
0222XDFOS91636	25	1"	-16	M 36 x 2	25	79	79	18,5	46
0222XDFOS91642	25	1"	-16	M 42 x 2	30	85	84	20	50
0222XDFOS91652	25	1"	-16	M 52 x 2	38				60
0222XDFOS92052	31	1 1/4"	-20	M 52 x 2	38	101	100	25	60
0222XDFOS92468	38	1 1/2"	-24	M 68 x 2	50	124	111	31	80



SLANGEKOBLINGER, RUSTFRI, STD.

XDMS - Metrisk han 24° konus, svær serie

Varenummer	Slangestørrelse			Metrisk gevind størrelse		Dimension (mm)		
	DN	Inch	Dash	G	Rør	A	C	SW
0222XDMS030614	5	3/16"	-03	M 14 x 1,5	6	23,7	3	14
0222XDMS030816	5	3/16"	-03	M 16 x 1,5	8	23,7	3	17
0222XDMS040614	6	1/4"	-04	M 14 x 1,5	6	25	4	14
0222XDMS040816	6	1/4"	-04	M 16 x 1,5	8	25,5	4	17
0222XDMS041018	6	1/4"	-04	M 18 x 1,5	10	25,5	4	19
0222XDMS051018	8	5/16"	-05	M 18 x 1,5	10	25,5	5,5	19
0222XDMS051220	8	5/16"	-05	M 20 x 1,5	12	27,5	5,5	22
0222XDMS051422	8	5/16"	-05	M 22 x 1,5	14	27,5	5,5	22
0222XDMS061018	10	3/8"	-06	M 18 x 1,5	10	25,5	7	19
0222XDMS061220	10	3/8"	-06	M 20 x 1,5	12	25,5	7	22
0222XDMS061422	10	3/8"	-06	M 22 x 1,5	14	28	7	22
0222XDMS061624	10	3/8"	-06	M 24 x 1,5	16	28	7	24
0222XDMS081624	12	1/2"	-08	M 24 x 1,5	16	28	9,5	24
0222XDMS082030	12	1/2"	-08	M 30 x 2	20	33	9,5	30
0222XDMS102030	16	5/8"	-10	M 30 x 2	20	34	12,5	30
0222XDMS122030	19	3/4"	-12	M 30 x 2	20	37	14,5	30
0222XDMS122536	19	3/4"	-12	M 36 x 2	25	40	14,5	36
0222XDMS162536	25	1"	-16	M 36 x 2	25	40	20	36
0222XDMS163042	25	1"	-16	M 42 x 2	30	42,5	20	46
0222XDMS203852	31	1 1/4"	-20	M 52 x 2	38	45	25,5	55

