


# TRÆK- OG LØFTEKÆDER

Ståltrækkæde 4 meter, inkl. opkorterhook m. pal

Vare nr.	Type	Dim
542-KT7/8	Grade 80	8
542-KT10	Grade 80	10
542-KT13	Grade 80	13



## KÆDER / LED ØJER / KROGE




### Løftkæde klasse 8, EN818-2 DIN 5687

Varenummer	A	B	C	Max.
542-K7	7	21	11,9	1,5 t
542-K8	8	24	13,6	2,0 t
542-K10	10	30	17	3,15 t
542-K13	13	39	22,1	5,3 t
542-K16	16	48	27,2	8,0 t
542-K19	20	60	34	12,5 t



### Løfteøjje svejst TPLS, MasterLink







Varenummer	A	B	C	Max.
542-TPLS7/8	16	110	60	2,2 t
542-TPLS10	18	135	75	3,2 t
542-TPLS13	22	160	90	5,3 t
542-TPLS16	26	180	100	8,0 t



### Løfteøjje LHE, Flerparts MasterLink

Varenummer	A/a	B/b	C/c	Max.
542-LHE7/8	20/14	160/100	90/60	4,25 t
542-LHE10	22/18	180/150	100/70	6,7 t
542-LHE13	28/22	270/160	140/90	11,2 t
542-LHE16	32/25	270/180	140/100	17,0 t

# KÆDER / LED ØJER / KROGE



## Koblingsled KBL, Con-link

Varenummer	A	B	C	Max.	Art.
542-KBL6	45,4	14	7,9	1,12 t	6
542-KBL7/8	59,0	20	10,0	2,00 t	8
542-KBL10	68,0	25,0	12,7	3,15 t	10
542-KBL13	84,8	26,3	16,6	5,30 t	13
542-KBL16	106,0	36,0	21,0	8,00 t	16

## Sikkerhedskrog SKG, med clevis

Varenummer	A	B	C	D	Max.	Art.
542-SKG7/8	35,0	123,0	25,0	10,0	2,00 t	BKG7/8-8
542-SKG10	45,0	150,0	36,0	12,0	3,15 t	BKG10-8
542-SKG13	56,0	190,0	41,0	16,0	5,30 t	BKG13-8
542-SKG16	68,0	220,0	51,0	20,0	8,00 t	BKG16-8

## Sikkerhedskrog SKE, BK type krog m. øje

Varenummer	A	B	C	D	Max.	Art.
542-SKE7/8	38,0	134,0	26,0	25,0	2,00 t	7/8
542-SKE10	52,0	168,0	36,0	31,5	3,15 t	10
542-SKE13	62,0	209,0	41,0	39,5	5,30 t	13
542-SKE16	70,0	260,0	55,0	50,0	8,00 t	16

## Sikkerhedskrog SKS, med swirvel

Varenummer	A	B	C	D	Max.	Art.
542-SKS7/8	39,0	175,0	29,0	38,0	2,00 t	7/8
542-SKS10	55,0	216,0	36,0	40,0	3,15 t	10
542-SKS13	63,0	279,0	43,0	63,0	5,30 t	13


## Lastkrog SPE, med øje og spærre

Varenummer	A	B	C	D	Max.	Art.
542-SPE7/8	27,0	95,0	18,0	24,0	2,00 t	EKN7/8-8
542-SPE10	33,0	120,0	23,0	32,8	3,15 t	EKN10-8
542-SPE13	42,0	145,0	30,0	41,0	5,30 t	EKN13-8
542-SPE16	49,0	184,0	32,0	50,0	8,00 t	EKN16-8

## Lastkrog SPG, med clevis og spærre


Varenummer	A	B	C	D	Max.	Art.
542-SPG7/8	26,0	87,0	19,4	9,0	2,00 t	EKGN7/8-8
542-SPG10	33,0	104,0	23,0	12,0	3,15 t	EKGN10-8
542-SPG13	43,0	127,0	29,0	16,0	5,30 t	EKGN13-8
542-SPG16	54,0	146,0	38,0	21,0	8,00 t	EKGN16-8

# KROGE




## Lastkrog SPS, med swirvel

Varenummer	A	B	C	D	Max.
542-SPS7/8	26,0	154,0	18,0	25,0	2,00 t
542-SPS10	34,0	189,0	23,0	33,0	3,15 t
542-SPS13	42,0	233,0	28,0	40,0	5,30 t
542-SPS16	49,0	279,0	33,0	54,0	8,00 t
542-SPS18	80,0	312,0	38,0	62,0	12,50 t



## Grabkrog UGK

Varenummer	A	B	C	D	Max.
542-UGK01	18,0	87,0	-	1,0	1,0
542-UGK2	22,0	95,0	17,0	2 t	2 t
542-UGK3	29,0	114,0	30,0	3 t	3 t
542-UGK5	34,0	166,0	46,0	5 t	5 t
542-UGK8	35,0	173,0	39,0	8 t	8 t
542-UGK10	50,0	221,0	44,0	10 t	10 t




## Opkortekrog INK, med øje

Varenummer	A	B	C	Max.
542-INK7/8	9,8	15,0	65,0	2,00 t
542-INK10	12,3	20,0	84,0	3,15 t
542-INK13	16,5	25,0	104,0	5,30 t
542-INK16	20,0	30,0	130,0	8,00 t



## Opkortekrog INK...S, med lås

Varenummer	A	B	C	Max.
542-INK7/8/S	9,8	15,0	65,0	2,00 t
542-INK10/S	12,3	20,0	84,0	3,15 t
542-INK13/S	16,5	25,0	104,0	5,30 t



## Opkortekrog INKG, med clevis

Varenummer	A	B	C	Max.
542-INKG7/8	10,5	10,5	50,0	2,00 t
542-INKG10	12,4	14,5	72,0	3,15 t
542-INKG13	13,5	15,5	90,0	5,30 t
542-INKG16	20,0	17,0	102,0	8,00 t

## Opstrammer

Varenummer	Kæde dim.	Brudstyrke ton	Max. last ton
542-06000KL	6	5,5	1,75
542-08000KL	7/8	8	4
542-15000KL	10	15	7,5
542-18000KL	13	20	10
542-21000KL	16	32	16

