


SLANGEKOBLINGER, RUSTFRI, STD.

XBF – BSP hun 60° konus


Varenummer	Slangestørrelse			BSP gevind størrelse	Dimension (mm)		
	DN	Inch	Dash	G	A	C	SW
0222XBF0302	5	3/16"	-03	1/8"-28	16	3	14
0222XBF0304	5	3/16"	-03	1/4"-19	20	3	17
0222XBF0402	6	1/4"	-04	1/8"-28	16	4	14
0222XBF0404	6	1/4"	-04	1/4"-19	21	4	17
0222XBF0406	6	1/4"	-04	3/8"-19	20	4	19
0222XBF0408	6	1/4"	-04	1/2"-14	24	4	27
0222XBF0412	6	1/4"	-04	3/4"-14	23	4	32
0222XBF0504	8	5/16"	-05	1/4"-19	20	5	19
0222XBF0506	8	5/16"	-05	3/8"-19	22	5,5	19
0222XBF0508	8	5/16"	-05	1/2"-14	22	5,5	27
0222XBF0604	10	3/8"	-06	1/4"-19	20	5	19
0222XBF0606	10	3/8"	-06	3/8"-19	21	7	19
0222XBF0608	10	3/8"	-06	1/2"-14	22	7	27
0222XBF0806	12	1/2"	-08	3/8"-19	24	9,5	19
0222XBF0808	12	1/2"	-08	1/2"-14	24	9,5	27
0222XBF0810	12	1/2"	-08	5/8"-14	23	9,5	27
0222XBF0812	12	1/2"	-08	3/4"-14	24	9,5	32
0222XBF1008	16	5/8"	-10	1/2"-14	21	12	27
0222XBF1010	16	5/8"	-10	5/8"-14	22	13	27
0222XBF1012	16	5/8"	-10	3/4"-14	25	13	32
0222XBF1208	19	3/4"	-12	1/2"-14	23	12	27
0222XBF1212	19	3/4"	-12	3/4"-14	27	15	32
0222XBF1216	19	3/4"	-12	1"-11	27	15	41
0222XBF1220	19	3/4"	-12	1 1/4"-11	34	15	50
0222XBF1612	25	1"	-16	3/4"-14	25	17	32
0222XBF1616	25	1"	-16	1"-11	28	20	41
0222XBF1620	25	1"	-16	1 1/4"-11	33	20	50
0222XBF2016	31	1 1/4"	-20	1"-11	30	22	41
0222XBF2020	31	1 1/4"	-20	1 1/4"-11	31	26	50
0222XBF2024	31	1 1/4"	-20	1 1/2"-11	46	26	55
0222XBF2424	38	1 1/2"	-24	1 1/2"-11	46	32	55
0222XBF2432	38	1 1/2"	-24	2"-11			70
0222XBF3232	51	2"	-32	2"-11	36	43	70



SLANGEKOBLINGER, RUSTFRI, STD.

XBF4 - BSP hun 60° konus, 45° bøjning


Varenummer	Slangestørrelse			BSP gevind størrelse	Dimension (mm)			
	DN	Inch	Dash		G	A	B	C
0222XBF40302	5	3/16"	03	1/8"-28	37	16	3	14
0222XBF40304	5	3/16"	03	1/4"-19			3	17
0222XBF40402	6	1/4"	04	1/8"-28	39	16	4	14
0222XBF40404	6	1/4"	04	1/4"-19	36,5	14,5	4	17
0222XBF40406	6	1/4"	04	3/8"-19	34	16	4	19
0222XBF40504	8	5/16"	05	1/4"-19	47	20	5,5	19
0222XBF40506	8	5/16"	05	3/8"-19	40	15	5,5	19
0222XBF40604	10	3/8"	06	1/4"-19	44	22,5	6	19
0222XBF40606	10	3/8"	06	3/8"-19	40	15	7	19
0222XBF40608	10	3/8"	06	1/2"-14	54	20,5	7	27
0222XBF40806	12	1/2"	08	3/8"-19	58,5	25,5	9,5	22
0222XBF40808	12	1/2"	08	1/2"-14	54	20,5	9,5	27
0222XBF40810	12	1/2"	08	5/8"-14	64,5	29	9,5	27
0222XBF40812	12	1/2"	08	3/4"-14	60	23	9	32
0222XBF41008	16	5/8"	10	1/2"-14	64	27	12,5	27
0222XBF41010	16	5/8"	10	5/8"-14	68	28	12,5	27
0222XBF41012	16	5/8"	10	3/4"-14	62,5	28	12,5	32
0222XBF41212	19	3/4"	12	3/4"-14	70	30	14,5	32
0222XBF41216	19	3/4"	12	1"-11	77	26	14,5	41
0222XBF41616	25	1"	16	1"-11	95	39,5	20	41
0222XBF41620	25	1"	16	1 1/4"-11	94	40	20	50
0222XBF42020	31	1 1/4"	20	1 1/4"-11	100	40	25	50
0222XBF42024	31	1 1/4"	20	1 1/2"-11	145	53	25	55
0222XBF42424	38	1 1/2"	24	1 1/2"-11	115	55	31	55
0222XBF42432	38	1 1/2"	24	2"-11	143	60	31	70
0222XBF43232	51	2"	32	2"-11	149	57	40	70



SLANGEKOBLINGER, RUSTFRI, STD.

XBF9 - BSP hun 60° konus, 90° bøjning


Varenummer	Slangestørrelse			BSP gevind størrelse	Dimension (mm)			
	DN	Inch	Dash		G	A	B	C
0222XBF90302	5	3/16"	-03	1/8"-28	28	29	3	14
0222XBF90304	5	3/16"	-03	1/4"-19	29	27,5	3	17
0222XBF90402	6	1/4"	-04	1/8"-28	28,5	30	4	14
0222XBF90404	6	1/4"	-04	1/4"-19	28,5	28	4	17
0222XBF90406	6	1/4"	-04	3/8"-19	29	26	4	19
0222XBF90504	8	5/16"	-05	1/4"-19	36	36	5,5	19
0222XBF90506	8	5/16"	-05	3/8"-19	33	34	5,5	19
0222XBF90604	10	3/8"	-06	1/4"-19	34	39	6	19
0222XBF90606	10	3/8"	-06	3/8"-19	33	34	7	19
0222XBF90608	10	3/8"	-06	1/2"-14	44	42,5	7	27
0222XBF90806	12	1/2"	-08	3/8"-19	44	47,5	9	22
0222XBF90808	12	1/2"	-08	1/2"-14	44	42,5	9,5	27
0222XBF90810	12	1/2"	-08	5/8"-14	44	50,5	9,5	27
0222XBF90812	12	1/2"	-08	3/4"-14	47,5	43	9,5	32
0222XBF91008	16	5/8"	-10	1/2"-14	58	53	12,5	27
0222XBF91010	16	5/8"	-10	5/8"-14	55	54	12,5	27
0222XBF91012	16	5/8"	-10	3/4"-14	55	54	12,5	32
0222XBF91212	19	3/4"	-12	3/4"-14	61	54	14,5	32
0222XBF91216	19	3/4"	-12	1"-11	78	69	14,5	41
0222XBF91616	25	1"	-16	1"-11	78	69	20	41
0222XBF91620	25	1"	-16	1 1/4"-11	82	81	20	50
0222XBF92020	31	1 1/4"	-20	1 1/4"-11	87	81	25	50
0222XBF92024	31	1 1/4"	-20	1 1/2"-11	125	103	25	55
0222XBF92424	38	1 1/2"	-24	1 1/2"-11	104	102	31	55
0222XBF92432	38	1 1/2"	-24	2"-11	124	120	31	70
0222XBF93232	51	2"	-32	2"-11	142	133	40	70



SLANGEKOBLINGER, RUSTFRI, STD.

XBM – BSP han 60° konus

Varenummer	Slangestørrelse			BSP gevind størrelse	Dimension (mm)		
	DN	Inch	Dash	G	A	C	SW
0222XBM0302	5	3/16"	-03	1/8"-28	21,5	3	14
0222XBM0304	5	3/16"	-03	1/4"-19	25	3	19
0222XBM0402	6	1/4"	-04	1/8"-28	23,5	4	14
0222XBM0404	6	1/4"	-04	1/4"-19	25,5	4	19
0222XBM0406	6	1/4"	-04	3/8"-19	30,5	4	19
0222XBM0408	6	1/4"	-04	1/2"-14	34,5	4	27
0222XBM0504	8	5/16"	-05	1/4"-19	28	5,5	19
0222XBM0506	8	5/16"	-05	3/8"-19	26,5	5,5	22
0222XBM0508	8	5/16"	-05	1/2"-14	31,5	5,5	27
0222XBM0604	10	3/8"	-06	1/4"-19	28	6	19
0222XBM0606	10	3/8"	-06	3/8"-19	30	7	22
0222XBM0608	10	3/8"	-06	1/2"-14	32	7	27
0222XBM0804	12	1/2"	-08	1/4"-19	27	7	19
0222XBM0806	12	1/2"	-08	3/8"-19	30,5	7	22
0222XBM0808	12	1/2"	-08	1/2"-14	31	9,5	27
0222XBM0812	12	1/2"	-08	3/4"-14	34,5	9,5	32
0222XBM1008	16	5/8"	-10	1/2"-14	32	12,5	27
0222XBM1010	16	5/8"	-10	5/8"-14	32,5	12,5	30
0222XBM1012	16	5/8"	-10	3/4"-14	35	12,5	32
0222XBM1208	19	3/4"	-12	1/2"-14	37,5	14,5	27
0222XBM1212	19	3/4"	-12	3/4"-14	38	14,5	32
0222XBM1216	19	3/4"	-12	1"-11	41,5	14,5	41
0222XBM1612	25	1"	-16	3/4"-14	38	19,5	36
0222XBM1212	25	1"	-12	1"-11	42	20	41
0222XBM1620	25	1"	-16	1 1/4"-11	45	20	50
0222XBM2020	31	1 1/4"	-20	1 1/4"-11	45	25,5	50
0222XBM2024	31	1 1/4"	-20	1 1/2"-11	45	25,5	55
0222XBM2424	38	1 1/2"	-24	1 1/2"-11	48	31,5	55
0222XBM3232	51	2"	-32	2"-11	50	41	70



SLANGEKOBLINGER, RUSTFRI, STD.

XBMT – BSPT han 60° konus, konisk gevind

Varenummer	Slangestørrelse			BSPT gevind størrelse	Dimension (mm)		
	DN	Inch	Dash	G	A	C	SW
0222XBMT0302	5	3/16"	-03	1/8"-28	19,5	3	11
0222XBMT0304	5	3/16"	-03	1/4"-19	23,5	3	14
0222XBMT0402	6	1/4"	-04	1/8"-28	20	4	14
0222XBMT0404	6	1/4"	-04	1/4"-19	28	4	14
0222XBMT0406	6	1/4"	-04	3/8"-19	25,5	4	19
0222XBMT0504	8	5/16"	-05	1/4"-19	27	5,5	14
0222XBMT0506	8	5/16"	-05	3/8"-19	26,5	5,5	19
0222XBMT0604	10	3/8"	-06	1/4"-19	26,5	7	17
0222XBMT0606	10	3/8"	-06	3/8"-19	26,5	7	19
0222XBMT0608	10	3/8"	-06	1/2"-14	27,5	7	22
0222XBMT0806	12	1/2"	-08	3/8"-19	27,5	9,5	19
0222XBMT0808	12	1/2"	-08	1/2"-14	29	9,5	22
0222XBMT0812	12	1/2"	-08	3/4"-14	33,5	9,5	27
0222XBMT1012	16	5/8"	-10	3/4"-14	36,5	12,5	27
0222XBMT1208	19	3/4"	-12	1/2"-14		14,5	27
0222XBMT1212	19	3/4"	-12	3/4"-14	38,5	14,5	27
0222XBMT1216	19	3/4"	-12	1"-11	46,5	14,5	36
0222XBMT1612	25	1"	-16	3/4"-14	35,7	14,5	32
0222XBMT1616	25	1"	-16	1"-11	46,5	20	36
0222XBMT2020	31	1 1/4"	-20	1 1/4"-11	45	25,5	46
0222XBMT2424	38	1 1/2"	-24	1 1/2"-11	50	31,5	50
0222XBMT3232	51	2"	-32	2"-11	56	43	65

