


SLANGEKOBLINGER, RUSTFRI, STD

XJF – JIC hun 37° konus


Varenummer	Slangestørrelse			JIC gevind størrelse	Dimension (mm)			
	DN	Inch	Dash	G	A	B	C	SW
0222XJF0307	5	3/16"	-03	7/16"-20	16,2	7,5	3	17
0222XJF0308	5	3/16"	-03	1/2"-20	16,2	9,5	3	17
0222XJF0309	5	3/16"	-03	9/16"-18	18	9,5	3	19
0222XJF0407	6	1/4"	-04	7/16"-20	16,2	7,5	4	17
0222XJF0408	6	1/4"	-04	1/2"-20	16	9,5	4	17
0222XJF0409	6	1/4"	-04	9/16"-18	18,5	8,5	4	19
0222XJF0412	6	1/4"	-04	3/4"-16	21	10	4	24
0222XJF0508	8	5/16"	-05	1/2"-20	19	8,5	5,5	17
0222XJF0509	8	5/16"	-05	9/16"-18	16,5	10	5,5	19
0222XJF0512	8	5/16"	-05	3/4"-16	19	10	5,5	24
0222XJF0607	10	3/8"	-06	7/16"-20	17,5	7,5	7	17
0222XJF0609	10	3/8"	-06	9/16"-18	19	8,5	7	19
0222XJF0612	10	3/8"	-06	3/4"-16	19	10	7	24
0222XJF0614	10	3/8"	-06	7/8"-14	23,5	12,5	7	27
0222XJF0809	12	1/2"	-08	9/16"-18	18	8,5	7,5	19
0222XJF0812	12	1/2"	-08	3/4"-16	20	10	9,5	24
0222XJF0814	12	1/2"	-08	7/8"-14	20	11,5	9,5	27
0222XJF0817	12	1/2"	-08	1 1/16"-12	22	15	9,5	32
0222XJF1012	16	5/8"	-10	3/4"-16	20	11,5	9,5	24
0222XJF1014	16	5/8"	-10	7/8"-14	21	11,5	12,5	27
0222XJF1017	16	5/8"	-10	1 1/16"-12	24	14	12,5	32
0222XJF1021	16	5/8"	-10	1 5/16"-12	26,5	14,5	12,5	41
0222XJF1212	19	3/4"	-12	3/4"-16	23	11	10	24
0222XJF1214	19	3/4"	-12	7/8"-14	23	12,5	12,5	27
0222XJF1217	19	3/4"	-12	1 1/16"-12	22	15	14,5	32
0222XJF1221	19	3/4"	-12	1 5/16"-12	29,5	14	14,5	41
0222XJF1617	25	1"	-16	1 1/16"-12	23	14,5	20	32
0222XJF1621	25	1"	-16	1 5/16"-12	28	14	20	41
0222XJF1626	25	1"	-16	1 5/8"-12	32,5	15,5	20	50
0222XJF2021	31	1 1/4"	-20	1 5/16"-12	28	14	19	41
0222XJF2026	31	1 1/4"	-20	1 5/8"-12	27,5	15,5	25,5	50
0222XJF2030	31	1 1/4"	-20	1 7/8"-12	31,5	20	25,5	55
0222XJF2430	38	1 1/2"	-24	1 7/8"-12	36,5	18,5	31,5	55
0222XJF2440	38	1 1/2"	-24	2 1/2"-12	43	25	31,5	70
0222XJF3240	51	2"	-32	2 1/2"-12	45,5	25	43	70



SLANGEKOBLINGER, RUSTFRI, STD

XJF4 – JIC hun 37° konus, 45° bøjning


Varenummer	Slangestørrelse			JIC gevind størrelse	Dimension (mm)			
	DN	Inch	Dash	G	A	B	C	SW
0222XJF40407	6	1/4"	-04	7/16"-20	38	16,5	4	17
0222XJF40408	6	1/4"	-04	1/2"-20	36	15,5	4	17
0222XJF40409	6	1/4"	-04	9/16"-18	34,5	14,5	4	19
0222XJF40508	8	5/16"	-05	1/2"-20	38,5	17	5,5	17
0222XJF40509	8	5/16"	-05	9/16"-18	44,5	20	5,5	19
0222XJF40609	10	3/8"	-06	9/16"-18	47	20	7	19
0222XJF40612	10	3/8"	-06	3/4"-16	42	18,5	7	24
0222XJF40614	10	3/8"	-06	7/8"-14	50,5	20	7	27
0222XJF40812	12	1/2"	-08	3/4"-16	57	22,5	9,5	24
0222XJF40814	12	1/2"	-08	7/8"-14	59	22	9,5	27
0222XJF40817	12	1/2"	-08	1 1/16"-12	66	33	9,5	32
0222XJF41014	16	5/8"	-10	7/8"-14	66	27	12,5	27
0222XJF41017	16	5/8"	-10	1 1/16"-12	67	26,5	12,5	32
0222XJF41217	19	3/4"	-12	1 1/16"-12	67,5	33	14,5	32
0222XJF41221	19	3/4"	-12	1 5/16"-12	82	32,5	14,5	41
0222XJF41621	25	1"	-16	1 5/16"-12	97	38	20	41
0222XJF41626	25	1"	-16	1 5/8"-12	123	50,5	20	50
0222XJF42026	31	1 1/4"	-20	1 5/8"-12	103	37	25	50
0222XJF42030	31	1 1/4"	-20	1 7/8"-12	144	49	25	55
0222XJF42430	38	1 1/2"	-24	1 7/8"-12	115,5	49	31,5	55
0222XJF42440	38	1 1/2"	-24	2 1/2"-12			31,5	
0222XJF43240	51	2"	-32	2 1/2"-12	170	75	42	70



SLANGEKOBLINGER, RUSTFRI, STD

XJF9 – JIC hun 37° konus, 90° bøjning

Varenummer	Slangestørrelse			JIC gevind størrelse	Dimension (mm)			
	DN	Inch	Dash	G	A	B	C	SW
0222XJF90307	5	3/16"	-03	7/16"-20	29	29	3	17
0222XJF90308	5	3/16"	-03	1/2"-20	29	29	3	17
0222XJF90309	5	3/16"	-03	9/16"-18	29	27	3	19
0222XJF90407	6	1/4"	-04	7/16"-20	27,5	31	4	17
0222XJF90408	6	1/4"	-04	1/2"-20	27,5	31	4	17
0222XJF90409	6	1/4"	-04	9/16"-18	27,5	26	4	19
0222XJF90508	8	5/16"	-05	1/2"-20	26	32	5,5	17
0222XJF90509	8	5/16"	-05	9/16"-18	35,5	36	5,5	19
0222XJF90609	10	3/8"	-06	9/16"-18	36	35	7	19
0222XJF90612	10	3/8"	-06	3/4"-16	36	30,5	7	22
0222XJF90614	10	3/8"	-06	7/8"-14	42,5	38	7	27
0222XJF90812	12	1/2"	-08	3/4"-16	43	45	9,5	24
0222XJF90814	12	1/2"	-08	7/8"-14	43	46,5	9,5	27
0222XJF90817	12	1/2"	-08	1 1/16"-12	45,5	60,5	9,5	32
0222XJF91014	16	5/8"	-10	7/8"-14	56,5	55,5	12,5	27
0222XJF91017	16	5/8"	-10	1 1/16"-12	58	51,5	12,5	32
0222XJF91217	19	3/4"	-12	1 1/16"-12	58,5	61,5	14,5	32
0222XJF91221	19	3/4"	-12	1 5/16"-12	68	66	14,5	41
0222XJF91621	25	1"	-16	1 5/16"-12	80	73,5	20	41
0222XJF91626	25	1"	-16	1 5/8"-12	105	94,5	20	50
0222XJF92026	31	1 1/4"	-20	1 5/8"-12	101	94	25	50
0222XJF92030	31	1 1/4"	-20	1 7/8"-12	127	95	25	55
0222XJF92430	38	1 1/2"	-24	1 7/8"-12	104,5	103	31,5	55
0222XJF92440	38	1 1/2"	-24	2 1/2"-12			31,5	
0222XJF93240	51	2"	-32	2 1/2"-12	149	150	42	70



SLANGEKOBLINGER, RUSTFRI, STD

XJM – JIC han 37° konus

Varenummer	Slangestørrelse			JIC gevind størrelse	Dimension (mm)			
	DN	Inch	Dash	G	A	B	C	SW
0222XJM0307	5	3/16"	-03	7/16"-20	21	14	3	12
0222XJM0308	5	3/16"	-03	1/2"-20	21	14	3	14
0222XJM0309	5	3/16"	-03	9/16"-18	22	14,1	3	17
0222XJM0407	6	1/4"	-04	7/16"-20	27,5	14	4	14
0222XJM0408	6	1/4"	-04	1/2"-20	27,5	14	4	17
0222XJM0409	6	1/4"	-04	9/16"-18	29,5	14,1	4	17
0222XJM0508	8	5/16"	-05	1/2"-20	27,5	14	5,5	17
0222XJM0509	8	5/16"	-05	9/16"-18	29,5	14,1	5,5	17
0222XJM0609	10	3/8"	-06	9/16"-18	29,5	14,1	7	17
0222XJM6012	10	3/8"	-06	3/4"-16	33	16,7	7	22
0222XJM6014	10	3/8"	-06	7/8"-14	36	19,3	7	24
0222XJM8012	12	1/2"	-08	3/4"-16	31	16,7	9,5	22
0222XJM8014	12	1/2"	-08	7/8"-14	36,5	19,3	9,5	24
0222XJM8017	12	1/2"	-08	1 1/16"-12	38,5	22	9,5	27
0222XJM1014	16	5/8"	-10	7/8"-14	37	19,3	12,5	24
0222XJM1017	16	5/8"	-10	1 1/16"-12	40	22	12,5	27
0222XJM1217	19	3/4"	-12	1 1/16"-12	43	22	14,5	27
0222XJM1221	19	3/4"	-12	1 5/16"-12	44	23,1	14,5	36
0222XJM1621	25	1"	-16	1 5/16"-12	44	23,1	20	36
0222XJM1626	25	1"	-16	1 5/8"-12	50	24,4	20	46
0222XJM2026	31	1 1/4"	-20	1 5/8"-12	48	24,4	25,5	46
0222XJM2030	31	1 1/4"	-20	1 7/8"-12	51	27,5	25,5	50
0222XJM2430	38	1 1/2"	-24	1 7/8"-12	53,5	27,5	31,5	50
0222XJM2440	38	1 1/2"	-24	2 1/2"-12		33,9	31,5	65
0222XJM3240	51	2"	-32	2 1/2"-12	63	33,9	43	65

