

KLO KOBLINGER

System GEKA

Fremstillet af støbt messing.

Arbejdstryk:

Vand: 40 bar

Luft: 30 bar

Bendiameter: 40mm

Slangestuds

Varenummer	Slange DIM	Slange DIM
5550200-0100	DN - 10	3/8"
5550200-0130	DN - 13	1/2"
5550200-0190	DN - 19	3/4"
5550200-0250	DN - 25	1"
5550200-0320	DN - 32	1 1/4"
5550200-0380	DN - 38	1 1/2"



Indvendig female BSP gevind

Varenummer	BSP Gevind
5550201-0100	3/8"
5550201-0130	1/2"
5550201-0190	3/4"
5550201-0250	1"
5550201-0320	1 1/4"
5550201-0380	1 1/2"



Udvendig male BSP gevind

Varenummer	BSP Gevind
5550202-0100	3/8"
5550202-0130	1/2"
5550202-0190	3/4"
5550202-0250	1"
5550202-0320	1 1/4"
5550202-0380	1 1/2"



Dæksel

Passer til alle dimensioner

Gummipakning



Varenummer
5550203-0100

Varenummer
5550204-0001



SØRENSEN & KOFOED A/S

SMEDEHOLM 7-9 2730 HERLEV TLF: 44 92 10 88 WWW.SKDK.DK

KLO KOBLINGER

Fremstillet af støbt stål, galvaniseret.

Arbejdstryk:

Luft: 10 bar

Bendiameter: 42mm

Slangestuds

Varenummer	Slange DIM	Slange DIM
5550702-0060	DN - 06	1/4"
5550702-0080	DN - 08	5/16"
5550702-0100	DN - 10	3/8"
5550702-0130	DN - 13	1/2"
5550702-0160	DN - 16	5/8"
5550702-0190	DN - 19	3/4"
5550702-0250	DN - 25	1"
5550702-0320	DN - 32	1 1/4"




Indvendig female BSP gevind

Varenummer	BSP Gevind
5550704-0060	1/4"
5550704-0100	3/8"
5550704-0130	1/2"
5550704-0190	3/4"
5550704-0250	1"
5550704-0320	1 1/4"



Udvendig male BSP gevind

Varenummer	BSP Gevind
5550706-0060	1/4"
5550706-0100	3/8"
5550706-0130	1/2"
5550706-0190	3/4"
5550706-0250	1"
5550706-0320	1 1/4"



SØRENSEN & KOFOED A/S

SMEDEHOLM 7-9 2730 HERLEV TLF: 44 92 10 88 WWW.SKDK.DK

KLO KOBLINGER

Fremstillet af støbt stål, galvaniseret.


Arbejdstryk:

Luft: 10 bar

Bendiameter: 42mm

Indvendig gevind med aflast

Varenummer	Slange DIM	Indvendig gevind DIM
5550714-0100	DN - 10	3/8"
5550714-0130	DN - 13	1/2"
5550714-0190	DN - 19	3/4"
5550714-0250	DN - 25	1"




Slangestuds med aflast

Varenummer	Slange DIM	Slange DIM
5550712-0100	DN - 10	3/8"
5550712-0130	DN - 13	1/2"
5550712-0160	DN - 16	5/8"
5550712-0190	DN - 19	3/4"
5550712-0250	DN - 25	1"



Udvendig gevind med aflast

Varenummer	Slange DIM	Slange DIM
5550716-0190	DN - 19	3/4"
5550716-0250	DN - 25	1"



Slangestuds med krave for påpresning

Varenummer	Slange DIM	Slange DIM
5550722-0130	DN - 13	1/2"
5550722-0190	DN - 19	3/4"
5550722-0250	DN - 25	1"



SØRENSEN & KOFOED A/S

SMEDEHOLM 7-9 2730 HERLEV TLF: 44 92 10 88 WWW.SKDK.DK

KLO KOBLINGER

Fremstillet af støbt stål, galvaniseret.

Arbejdstryk:

Luft: 10 bar

Bendiameter: 42mm

Dæksel passer til alle dimensioner

Varenummer

5551101-0001



Oliebestandig gummipakning passer til alle dimensioner

Varenummer	Temperatur
5551601-0001	-40 til +95°C
5551601-0003	-40 til +200°C



Oliebestandig gummipakning for aflast

Varenummer	Temperatur
5551601-0004A	-40 til +95°C



Sikkerhedswire

Varenummer	Ø/længde	For slange DIM	Materiale
5551800-0001	1/8" x 500 mm	1/2" - 2"	Galvaniseret stål
5551800-0002	1/4" x 900 mm	2" - 4"	Galvaniseret stål
5551800-0005	1/8" x 500 mm	1/2" - 2"	Rustfri stål



SØRENSEN & KOFOED A/S

SMEDEHOLM 7-9 2730 HERLEV TLF: 44 92 10 88 WWW.SKDK.DK