

PERROT KOBLINGER

Slutdæksel hun

Varenummer	Koblings størrelse
5605200-0500	50,0
5605200-0700	76,0
5605200-0890	89,0
5605200-1080	108,0
5605200-1330	133,0
5605200-1590	159,0



Hunkobling med udvendig B.S.P. gevind

Varenummer	Koblings størrelse	B.S.P. gevind
5605210-0500	50,0	2"
5605210-0700	70,0	2 1/2"
5605210-0890	89,0	2 1/2"
5605210-0890A	89,0	3"
5605210-1080	108,0	2 1/2"
5605210-1080A	108,0	3"
5605210-1080B	108,0	4"
5605210-1330	133,0	5"
5605210-1590	159,0	6"



Hankobling med slangestuds

Varenummer	Koblings størrelse	Dimension studs mm
5605230-0500	50,0	50,0
5605230-0700	70,0	63,0
5605230-0700A	70,0	76,0
5605230-0890	89,0	76,0
5605230-0890A	89,0	89,0
5605230-0890B	89,0	100,0
5605230-1080	108,0	76,0
5605230-1080A	108,0	89,0
5605230-1080B	108,0	100,0
5605230-1080C	108,0	108,0
5605230-1330	133,0	125,0
5605230-1590	159,0	150,0



SØRENSEN & KOFOED A/S

SMEDEHOLM 7-9 2730 HERLEV TLF: 44 92 10 88 WWW.SKDK.DK

PERROT KOBLINGER

Lukkebeslag - sort

Varenummer	Dimesion mm
5605240-0500	50,0
5605240-0700	76,0
5605240-0890	89,0
5605240-1080	108,0
5605240-1330	133,0
5605240-1590	159,0



Lukkebeslag - galvaniseret

Varenummer	Dimesion mm
5605250-0500	50,0
5605250-0700	76,0
5605250-0890	89,0
5605250-1080	108,0
5605250-1330	133,0
5605250-1590	159,0



Hunkobling med slangestuds

Varenummer	Koblings størrelse	Dimension studs mm
5605270-0500	50,0	50,0
5605270-0700	70,0	63,0
5605270-0700A	70,0	76,0
5605270-0890	89,0	76,0
5605270-0890A	89,0	89,0
5605270-0890B	89,0	100,0
5605270-1080	108,0	76,0
5605270-1080A	108,0	89,0
5605270-1080B	108,0	100,0
5605270-1080C	108,0	108,0
5605270-1330	133,0	125,0
5605270-1590	159,0	150,0



SØRENSEN & KOFOED A/S

SMEDEHOLM 7-9 2730 HERLEV TLF: 44 92 10 88 WWW.SKDK.DK

PERROT KOBLINGER

Hankobling med udvendig B.S.P. gevind

Varenummer	Dim.	Indv.
5605290-0500	50,0	2"
5605290-0700	70,0	2 1/2"
5605290-0700A	70,0	3"
5605290-0890	89,0	2 1/2"
5605290-0890A	89,0	3"
5605290-1080	108,0	2 1/2"
5605290-1080A	108,0	3"
5605290-1080B	108,0	4"
5605290-1330	133,0	5"
5605290-1590	159,0	6"



Hankobling til påsvejsning - sort

Varenummer	Dim.	Udv.	Bredde
5605300-0500	50,0	74,0	34,0
5605300-0700	76,0	103,0	42,0
5605300-0890	89,0	134,0	48,0
5605300-1080	108,0	155,0	45,0
5605300-1330	133,0	179,0	48,0
5605300-1590	159,0	210,0	52,0



Hankobling til påsvejsning - sort

Varenummer	Dim.	Dim.
5605310-0500	50,0	85,0
5605310-0700	76,0	108,0
5605310-0890	89,0	137,0
5605310-1080	108,0	161,0
5605310-1330	133,0	189,0
5605310-1590	159,0	223,0



SØRENSEN & KOFOED A/S

SMEDEHOLM 7-9 2730 HERLEV TLF: 44 92 10 88 WWW.SKDK.DK

PERROT KOBLINGER

Gummiring

Varenummer	Dim.	Indv.	Udv.	Gods. mm
5605320-0500	50,0	66,0	86,0	10,0
5605320-0700	76,0	88,0	110,0	11,0
5605320-0890	89,0	108,0	136,0	14,0
5605320-1080	108,0	122,0	158,0	18,0
5605320-1330	133,0	144,0	188,0	22,0
5605320-1590	159,0	179,0	223,0	22,0



Gummiring oliebestandig

Varenummer	Dim.	Indv.	Udv.	Gods. mm
5605330-0500	50,0	66,0	86,0	10,0
5605330-0700	76,0	88,0	110,0	11,0
5605330-0890	89,0	108,0	136,0	14,0
5605330-1080	108,0	122,0	158,0	18,0
5605330-1330	133,0	144,0	188,0	22,0
5605330-1590	159,0	179,0	223,0	22,0



Bøjning 90° han/hun

Varenummer	Dimesion mm
5605340-0500	50,0
5605340-0700	70,0
5605340-0890	89,0
5605340-1080	108,0
5605340-1330	133,0
5605340-1590	159,0



SØRENSEN & KOFOED A/S

SMEDEHOLM 7-9 2730 HERLEV TLF: 44 92 10 88 WWW.SKDK.DK

PERROT KOBLINGER

Slutprop han

Varenummer	Dimesion mm
5605350-0500	50,0
5605350-0700	70,0
5605350-0890	89,0
5605350-1080	108,0
5605350-1330	133,0
5605350-1590	159,0



Reduktion

Varenummer	Dim. hun	Dim. han
5605360-0700	70,0	50,0
5605360-0890	89,0	70,0
5605360-1080	108,0	89,0
5605360-1330	133,0	108,0
5605360-1590	159,0	133,0



Reduktion

Varenummer	Dim. han	Dim. hun
5605370-0700	70,0	50,0
5605370-0890	89,0	70,0
5605370-1080	108,0	89,0
5605370-1330	133,0	108,0
5605370-1590	159,0	133,0



SØRENSEN & KOFOED A/S

SMEDEHOLM 7-9 2730 HERLEV TLF: 44 92 10 88 WWW.SKDK.DK