

CAM KOBLINGER

Federal MIL A-A-59326A

Type A - Han med indvendig BSP gevind - Aluminium

Varenummer	Dimension	Arbejdstryk bar	Benævnelse
5975070-0130	1/2"	18	A050A
5975070-0190	3/4"	18	A075A
5975070-0250	1"	18	A100A
5975070-0320	1 1/4"	18	A125A
5975070-0380	1 1/2"	18	A150A
5975070-0500	2"	18	A200A
5975070-0630	2 1/2"	11	A250A
5975070-0750	3"	9	A300A
5975070-1000	4"	7	A400A
5975070-1250	5"	5	A500A
5975070-1500	6"	5	A600A



Type A - Han med indvendig BSP gevind - Messing

Varenummer	Dimension	Arbejdstryk bar	Benævnelse
5975070M0130	1/2"	18	A050B
5975070M0190	3/4"	18	A075B
5975070M0250	1"	18	A100B
5975070M0320	1 1/4"	18	A125B
5975070M0380	1 1/2"	18	A150B
5975070M0500	2"	18	A200B
5975070M0630	2 1/2"	11	A250B
5975070M0750	3"	9	A300B
5975070M1000	4"	7	A400B
5975070M1250	5"	5	A500B
5975070M1500	6"	5	A600B



SØRENSEN & KOFOED A/S

SMEDEHOLM 7-9 2730 HERLEV TLF: 44 92 10 88 WWW.SKDK.DK

CAM KOBLINGER

Federal MIL A-A-59326A

Type A - Han med indvendig BSP gevind - Rustfri stål

Varenummer	Dimension	Arbejdstryk bar	Benævnelse
5975070R0130	1/2"	18	A050SS
5975070R0190	3/4"	18	A075SS
5975070R0250	1"	18	A100SS
5975070R0320	1 1/4"	18	A125SS
5975070R0380	1 1/2"	18	A150SS
5975070R0500	2"	18	A200SS
5975070R0630	2 1/2"	11	A250SS
5975070R0750	3"	9	A300SS
5975070R1000	4"	7	A400SS
5975070R1250	5"	5	A500SS
5975070R1500	6"	5	A600SS



Type A - Han med indvendig BSP gevind - Polypropylene

Varenummer	Dimension	Arbejdstryk bar	Benævnelse
5975070P0130	1/2"	7	A050PP
5975070P0190	3/4"	7	A075PP
5975070P0250	1"	7	A100PP
5975070P0320	1 1/4"	7	A125PP
5975070P0380	1 1/2"	7	A150PP
5975070P0500	2"	7	A200PP
5975070P0630	2 1/2"	4	A250PP
5975070P0750	3"	4	A300PP
5975070P1000	4"	4	A400PP



SØRENSEN & KOFOED A/S

SMEDEHOLM 7-9 2730 HERLEV TLF: 44 92 10 88 WWW.SKDK.DK

CAM KOBLINGER

Federal MIL A-A-59326A

Type B - Hun med udvendig B.S.P. gevind - Aluminium

Varenummer	Dimension	Arbejdstryk bar	Benævnelse
5975071-0130	1/2"	18	B050A
5975071-0190	3/4"	18	B075A
5975071-0250	1"	18	B100A
5975071-0320	1 1/4"	18	B125A
5975071-0380	1 1/2"	18	B150A
5975071-0500	2"	18	B200A
5975071-0630	2 1/2"	11	B250A
5975071-0750	3"	9	B300A
5975071-1000	4"	7	B400A
5975071-1250	5"	5	B500A
5975071-1500	6"	5	B600A



Type B - Hun med udvendig B.S.P. gevind- Messing

Varenummer	Dimension	Arbejdstryk bar	Benævnelse
5975071M0130	1/2"	18	B050B
5975071M0190	3/4"	18	B075B
5975071M0250	1"	18	B100B
5975071M0320	1 1/4"	18	B125B
5975071M0380	1 1/2"	18	B150B
5975071M0500	2"	18	B200B
5975071M0630	2 1/2"	11	B250B
5975071M0750	3"	9	B300B
5975071M1000	4"	7	B400B
5975071M1250	5"	5	B500B
5975071M1500	6"	5	B600B



SØRENSEN & KOFOED A/S

SMEDEHOLM 7-9 2730 HERLEV TLF: 44 92 10 88 WWW.SKDK.DK

CAM KOBLINGER

Federal MIL A-A-59326A

Type B - Hun med udvendig B.S.P. gevind- Rustfri stål

Varenummer	Dimension	Arbejdstryk bar	Benævnelse
5975071R0130	1/2"	18	B050SS
5975071R0190	3/4"	18	B075SS
5975071R0250	1"	18	B100SS
5975071R0320	1 1/4"	18	B125SS
5975071R0380	1 1/2"	18	B150SS
5975071R0500	2"	18	B200SS
5975071R0630	2 1/2"	11	B250SS
5975071R0750	3"	9	B300SS
5975071R1000	4"	7	B400SS
5975071R1250	5"	5	B500SS
5975071R1500	6"	5	B600SS



Type B - Hun med udvendig B.S.P. gevind- Polypropylene

Varenummer	Dimension	Arbejdstryk bar	Benævnelse
5975071P0130	1/2"	7	B050PP
5975071P0190	3/4"	7	B075PP
5975071P0250	1"	7	B100PP
5975071P0320	1 1/4"	7	B125PP
5975071P0380	1 1/2"	7	B150PP
5975071P0500	2"	7	B200PP
5975071P0630	2 1/2"	4	B250PP
5975071P0750	3"	4	B300PP
5975071P1000	4"	4	B400PP



SØRENSEN & KOFOED A/S

SMEDEHOLM 7-9 2730 HERLEV TLF: 44 92 10 88 WWW.SKDK.DK

CAM KOBLINGER

Federal MIL A-A-59326A

Type C - Hun med slangestuds - Aluminium

Varenummer	Dimension	Arbejdstryk bar	Benævnelse
5975072-0130	1/2"	18	C050A
5975072-0190	3/4"	18	C075A
5975072-0250	1"	18	C100A
5975072-0320	1 1/4"	18	C125A
5975072-0380	1 1/2"	18	C150A
5975072-0500	2"	18	C200A
5975072-0630	2 1/2"	11	C250A
5975072-0750	3"	9	C300A
5975072-1000	4"	7	C400A
5975072-1250	5"	5	C500A
5975072-1500	6"	5	C600A



Type C - Hun med slangestuds - Messing

Varenummer	Dimension	Arbejdstryk bar	Benævnelse
5975072M0130	1/2"	18	C050B
5975072M0190	3/4"	18	C075B
5975072M0250	1"	18	C100B
5975072M0320	1 1/4"	18	C125B
5975072M0380	1 1/2"	18	C150B
5975072M0500	2"	18	C200B
5975072M0630	2 1/2"	11	C250B
5975072M0750	3"	9	C300B
5975072M1000	4"	7	C400B
5975072M1250	5"	5	C500B
5975072M1500	6"	5	C600B



SØRENSEN & KOFOED A/S

SMEDEHOLM 7-9 2730 HERLEV TLF: 44 92 10 88 WWW.SKDK.DK

CAM KOBLINGER

Federal MIL A-A-59326A

Type C - Hun med slangestuds - Rustfri stål

Varenummer	Dimension	Arbejdstryk bar	Benævnelse
5975072R0130	1/2"	18	C050SS
5975072R0190	3/4"	18	C075SS
5975072R0250	1"	18	C100SS
5975072R0320	1 1/4"	18	C125SS
5975072R0380	1 1/2"	18	C150SS
5975072R0500	2"	18	C200SS
5975072R0630	2 1/2"	11	C250SS
5975072R0750	3"	9	C300SS
5975072R1000	4"	7	C400SS
5975072R1250	5"	5	C500SS
5975072R1500	6"	5	C600SS

Type C - Hun med slangestuds - Polypropylene

Varenummer	Dimension	Arbejdstryk bar	Benævnelse
5975072P0130	1/2"	7	C050PP
5975072P0190	3/4"	7	C075PP
5975072P0250	1"	7	C100PP
5975072P0320	1 1/4"	7	C125PP
5975072P0380	1 1/2"	7	C150PP
5975072P0500	2"	7	C200PP
5975072P0630	2 1/2"	4	C250PP
5975072P0750	3"	4	C300PP
5975072P1000	4"	4	C400PP



SØRENSEN & KOFOED A/S

SMEDEHOLM 7-9 2730 HERLEV TLF: 44 92 10 88 WWW.SKDK.DK

CAM KOBLINGER

Federal MIL A-A-59326A

Type D - Hun med indvendig B.S.P. gevind - Aluminium

Varenummer	Dimension	Arbejdstryk bar	Benævnelse
5975073-0130	1/2"	18	D050A
5975073-0190	3/4"	18	D075A
5975073-0250	1"	18	D100A
5975073-0320	1 1/4"	18	D125A
5975073-0380	1 1/2"	18	D150A
5975073-0500	2"	18	D200A
5975073-0630	2 1/2"	11	D250A
5975073-0750	3"	9	D300A
5975073-1000	4"	7	D400A
5975073-1250	5"	5	D500A
5975073-1500	6"	5	D600A



Type D - Hun med indvendig B.S.P. gevind - Messing

Varenummer	Dimension	Arbejdstryk bar	Benævnelse
5975073M0130	1/2"	18	D050A
5975073M0190	3/4"	18	D075A
5975073M0250	1"	18	D100A
5975073M0320	1 1/4"	18	D125A
5975073M0380	1 1/2"	18	D150A
5975073M0500	2"	18	D200A
5975073M0630	2 1/2"	11	D250A
5975073M0750	3"	9	D300A
5975073M1000	4"	7	D400A
5975073M1250	5"	5	D500A
5975073M1500	6"	5	D600A



SØRENSEN & KOFOED A/S

SMEDEHOLM 7-9 2730 HERLEV TLF: 44 92 10 88 WWW.SKDK.DK

CAM KOBLINGER

Federal MIL A-A-59326A

Type D - Hun med indvendig B.S.P. gevind - Rustfri stål

Varenummer	Dimension	Arbejdstryk bar	Benævnelse
5975073R0130	1/2"	18	D050SS
5975073R0190	3/4"	18	D075SS
5975073R0250	1"	18	D100SS
5975073R0320	1 1/4"	18	D125SS
5975073R0380	1 1/2"	18	D150SS
5975073R0500	2"	18	D200SS
5975073R0630	2 1/2"	11	D250SS
5975073R0750	3"	9	D300SS
5975073R1000	4"	7	D400SS
5975073R1250	5"	5	D500SS
5975073R1500	6"	5	D600SS



Type D - Hun med indvendig B.S.P. gevind - Polypropylene

Varenummer	Dimension	Arbejdstryk bar	Benævnelse
5975073P0130	1/2"	7	D050PP
5975073P0190	3/4"	7	D075PP
5975073P0250	1"	7	D100PP
5975073P0320	1 1/4"	7	D125PP
5975073P0380	1 1/2"	7	D150PP
5975073P0500	2"	7	D200PP
5975073P0630	2 1/2"	4	D250PP
5975073P0750	3"	4	D300PP
5975073P1000	4"	4	D400PP



SØRENSEN & KOFOED A/S

SMEDEHOLM 7-9 2730 HERLEV TLF: 44 92 10 88 WWW.SKDK.DK

CAM KOBLINGER

Federal MIL A-A-59326A

Type E - Han med slangestuds - Aluminium

Varenummer	Dimension	Arbejdstryk bar	Benævnelse
5975074-0130	1/2"	18	E050A
5975074-0190	3/4"	18	E075A
5975074-0250	1"	18	E100A
5975074-0320	1 1/4"	18	E125A
5975074-0380	1 1/2"	18	E150A
5975074-0500	2"	18	E200A
5975074-0630	2 1/2"	11	E250A
5975074-0750	3"	9	E300A
5975074-1000	4"	7	E400A
5975074-1250	5"	5	E500A
5975074-1500	6"	5	E600A



Type E - Han med slangestuds - Messing

Varenummer	Dimension	Arbejdstryk bar	Benævnelse
5975074M0130	1/2"	18	E050B
5975074M0190	3/4"	18	E075B
5975074M0250	1"	18	E100B
5975074M0320	1 1/4"	18	E125B
5975074M0380	1 1/2"	18	E150B
5975074M0500	2"	18	E200B
5975074M0630	2 1/2"	11	E250B
5975074M0750	3"	9	E300B
5975074M1000	4"	7	E400B
5975074M1250	5"	5	E500B
5975074M1500	6"	5	E600B



SØRENSEN & KOFOED A/S

SMEDEHOLM 7-9 2730 HERLEV TLF: 44 92 10 88 WWW.SKDK.DK

CAM KOBLINGER

Federal MIL A-A-59326A

Type E - Han med slangestuds - Rustfri stål

Varenummer	Dimension	Arbejdstryk bar	Benævnelse
5975074R0130	1/2"	18	E050SS
5975074R0190	3/4"	18	E075SS
5975074R0250	1"	18	E100SS
5975074R0320	1 1/4"	18	E125SS
5975074R0380	1 1/2"	18	E150SS
5975074R0500	2"	18	E200SS
5975074R0630	2 1/2"	11	E250SS
5975074R0750	3"	9	E300SS
5975074R1000	4"	7	E400SS
5975074R1250	5"	5	E500SS
5975074R1500	6"	5	E600SS



Type E - Han med slangestuds - Polypropylene

Varenummer	Dimension	Arbejdstryk bar	Benævnelse
5975074P0130	1/2"	7	E050PP
5975074P0190	3/4"	7	E075PP
5975074P0250	1"	7	E100PP
5975074P0320	1 1/4"	7	E125PP
5975074P0380	1 1/2"	7	E150PP
5975074P0500	2"	7	E200PP
5975074P0630	2 1/2"	4	E250PP
5975074P0750	3"	4	E300PP
5975074P1000	4"	4	E400PP



SØRENSEN & KOFOED A/S

SMEDEHOLM 7-9 2730 HERLEV TLF: 44 92 10 88 WWW.SKDK.DK

CAM KOBLINGER

Federal MIL A-A-59326A

Type F - Han med udvendig B.S.P. gevind - Aluminium

Varenummer	Dimension	Arbejdstryk bar	Benævnelse
5975075-0130	1/2"	18	F050A
5975075-0190	3/4"	18	F075A
5975075-0250	1"	18	F100A
5975075-0320	1 1/4"	18	F125A
5975075-0380	1 1/2"	18	F150A
5975075-0500	2"	18	F200A
5975075-0630	2 1/2"	11	F250A
5975075-0750	3"	9	F300A
5975075-1000	4"	7	F400A
5975075-1250	5"	5	F500A
5975075-1500	6"	5	F600A



Type F - Han med udvendig B.S.P. gevind - Messing

Varenummer	Dimension	Arbejdstryk bar	Benævnelse
5975075M0130	1/2"	18	F050B
5975075M0190	3/4"	18	F075B
5975075M0250	1"	18	F100B
5975075M0320	1 1/4"	18	F125B
5975075M0380	1 1/2"	18	F150B
5975075M0500	2"	18	F200B
5975075M0630	2 1/2"	11	F250B
5975075M0750	3"	9	F300B
5975075M1000	4"	7	F400B
5975075M1250	5"	5	F500B
5975075M1500	6"	5	F600B



SØRENSEN & KOFOED A/S

SMEDEHOLM 7-9 2730 HERLEV TLF: 44 92 10 88 WWW.SKDK.DK

CAM KOBLINGER

Federal MIL A-A-59326A

Type F - Han med udvendig B.S.P. gevind - Rustfri stål

Varenummer	Dimension	Arbejdstryk bar	Benævnelse
5975075R0130	1/2"	18	F050SS
5975075R0190	3/4"	18	F075SS
5975075R0250	1"	18	F100SS
5975075R0320	1 1/4"	18	F125SS
5975075R0380	1 1/2"	18	F150SS
5975075R0500	2"	18	F200SS
5975075R0630	2 1/2"	11	F250SS
5975075R0750	3"	9	F300SS
5975075R1000	4"	7	F400SS
5975075R1250	5"	5	F500SS
5975075R1500	6"	5	F600SS



Type F - Han med udvendig B.S.P. gevind - Polypropylene

Varenummer	Dimension	Arbejdstryk bar	Benævnelse
5975075P0130	1/2"	7	F050PP
5975075P0190	3/4"	7	F075PP
5975075P0250	1"	7	F100PP
5975075P0320	1 1/4"	7	F125PP
5975075P0380	1 1/2"	7	F150PP
5975075P0500	2"	7	F200PP
5975075P0630	2 1/2"	4	F250PP
5975075P0750	3"	4	F300PP
5975075P1000	4"	4	F400PP



SØRENSEN & KOFOED A/S

SMEDEHOLM 7-9 2730 HERLEV TLF: 44 92 10 88 WWW.SKDK.DK

CAM KOBLINGER

Federal MIL A-A-59326A

Type DC - Slutdæksel hun - Aluminium

Varenummer	Dimension	Arbejdstryk bar	Benævnelse
5975076-0130	1/2"	18	DC050A
5975076-0190	3/4"	18	DC075A
5975076-0250	1"	18	DC100A
5975076-0320	1 1/4"	18	DC125A
5975076-0380	1 1/2"	18	DC150A
5975076-0500	2"	18	DC200A
5975076-0630	2 1/2"	11	DC250A
5975076-0750	3"	9	DC300A
5975076-1000	4"	7	DC400A
5975076-1250	5"	5	DC500A
5975076-1500	6"	5	DC600A



Type DC - Slutdæksel hun - Messing

Varenummer	Dimension	Arbejdstryk bar	Benævnelse
5975076M0130	1/2"	18	DC050A
5975076M0190	3/4"	18	DC075A
5975076M0250	1"	18	DC100A
5975076M0320	1 1/4"	18	DC125A
5975076M0380	1 1/2"	18	DC150A
5975076M0500	2"	18	DC200A
5975076M0630	2 1/2"	11	DC250A
5975076M0750	3"	9	DC300A
5975076M1000	4"	7	DC400A
5975076M1250	5"	5	DC500A
5975076M1500	6"	5	DC600A



SØRENSEN & KOFOED A/S

SMEDEHOLM 7-9 2730 HERLEV TLF: 44 92 10 88 WWW.SKDK.DK

CAM KOBLINGER

Federal MIL A-A-59326A

Type DC - Sluldæksel hun - Rustfri stål

Varenummer	Dimension	Arbejdstryk bar	Benævnelse
5975076R0130	1/2"	18	DC050SS
5975076R0190	3/4"	18	DC075SS
5975076R0250	1"	18	DC100SS
5975076R0320	1 1/4"	18	DC125SS
5975076R0380	1 1/2"	18	DC150SS
5975076R0500	2"	18	DC200SS
5975076R0630	2 1/2"	11	DC250SS
5975076R0750	3"	9	DC300SS
5975076R1000	4"	7	DC400SS
5975076R1250	5"	5	DC500SS
5975076R1500	6"	5	DC600SS

Type DC - Sluldæksel hun - Polypropylene

Varenummer	Dimension	Arbejdstryk bar	Benævnelse
5975076P0130	1/2"	7	DC050PP
5975076P0190	3/4"	7	DC075PP
5975076P0250	1"	7	DC100PP
5975076P0320	1 1/4"	7	DC125PP
5975076P0380	1 1/2"	7	DC150PP
5975076P0500	2"	7	DC200PP
5975076P0630	2 1/2"	4	DC250PP
5975076P0750	3"	4	DC300PP
5975076P1000	4"	4	DC400PP



SØRENSEN & KOFOED A/S

SMEDEHOLM 7-9 2730 HERLEV TLF: 44 92 10 88 WWW.SKDK.DK

CAM KOBLINGER

Federal MIL A-A-59326A

Type DP - Slutprop han - Aluminium

Varenummer	Dimension	Arbejdstryk bar	Benævnelse
5975077-0130	1/2"	18	DP050A
5975077-0190	3/4"	18	DP075A
5975077-0250	1"	18	DP100A
5975077-0320	1 1/4"	18	DP125A
5975077-0380	1 1/2"	18	DP150A
5975077-0500	2"	18	DP200A
5975077-0630	2 1/2"	11	DP250A
5975077-0750	3"	9	DP300A
5975077-1000	4"	7	DP400A
5975077-1250	5"	5	DP500A
5975077-1500	6"	5	DP600A



Type DP - Slutprop han - Messing

Varenummer	Dimension	Arbejdstryk bar	Benævnelse
5975077M0130	1/2"	18	DP050B
5975077M0190	3/4"	18	DP075B
5975077M0250	1"	18	DP100B
5975077M0320	1 1/4"	18	DP125B
5975077M0380	1 1/2"	18	DP150B
5975077M0500	2"	18	DP200B
5975077M0630	2 1/2"	11	DP250B
5975077M0750	3"	9	DP300B
5975077M1000	4"	7	DP400B
5975077M1250	5"	5	DP500B
5975077M1500	6"	5	DP600B



SØRENSEN & KOFOED A/S

SMEDEHOLM 7-9 2730 HERLEV TLF: 44 92 10 88 WWW.SKDK.DK

CAM KOBLINGER

Federal MIL A-A-59326A

Type DP - Slutprop han - Rustfri stål

Varenummer	Dimension	Arbejdstryk bar	Benævnelse
5975077R0130	1/2"	18	DP050SS
5975077R0190	3/4"	18	DP075SS
5975077R0250	1"	18	DP100SS
5975077R0320	1 1/4"	18	DP125SS
5975077R0380	1 1/2"	18	DP150SS
5975077R0500	2"	18	DP200SS
5975077R0630	2 1/2"	11	DP250SS
5975077R0750	3"	9	DP300SS
5975077R1000	4"	7	DP400SS
5975077R1250	5"	5	DP500SS
5975077R1500	6"	5	DP600SS

Type DP - Slutprop han - Polypropylene

Varenummer	Dimension	Arbejdstryk bar	Benævnelse
5975077P0130	1/2"	7	DP050PP
5975077P0190	3/4"	7	DP075PP
5975077P0250	1"	7	DP100PP
5975077P0320	1 1/4"	7	DP125PP
5975077P0380	1 1/2"	7	DP150PP
5975077P0500	2"	7	DP200PP
5975077P0630	2 1/2"	4	DP250PP
5975077P0750	3"	4	DP300PP
5975077P1000	4"	4	DP400PP



SØRENSEN & KOFOED A/S

SMEDEHOLM 7-9 2730 HERLEV TLF: 44 92 10 88 WWW.SKDK.DK

CAM KOBLINGER

Pakninger

Pakninger

Dimension	NBR Varenummer	EPDM Varenummer	VITON Varenummer	PTFE/EPDM Konvolut pakning
1/2"	5975078N0130	5975078E0130	5975078V0130	5975078T0130
3/4"	5975078N0190	5975078E0190	5975078V0190	5975078T0190
1"	5975078N0250	5975078E0250	5975078V0250	5975078T0250
1 1/4"	5975078N0320	5975078E0320	5975078V0320	5975078T0320
1 1/2"	5975078N0380	5975078E0380	5975078V0380	5975078T0380
2"	5975078N0500	5975078E0500	5975078V0500	5975078T0500
2 1/2"	5975078N0630	5975078E0630	5975078V0630	5975078T0630
3"	5975078N0750	5975078E0750	5975078V0750	5975078T0750
4"	5975078N1000	5975078E1000	5975078V1000	5975078T1000
5"	5975078N1250	5975078E1250	5975078V1250	5975078T1250
6"	5975078N1500	5975078E1500	5975078V1500	5975078T1500



SØRENSEN & KOFOED A/S

SMEDEHOLM 7-9 2730 HERLEV TLF: 44 92 10 88 WWW.SKDK.DK