

LAVTRYKSFITTINGS

Rustfri syrefast AISI 316

Standard lager af rustfri rørgevind fittings samt nippelrør.

Certifikater:

- API 6D-0491
- API 607 (Fire Safe)
- QS9000
- TUV ISO 9001: 2000

Dimensioner: 1/8" - 4"

BSP gevind - DIN 2999


Arbejdstryk: max 16 bar



Vare nummer	Str.	L	SW
564BNKK0202	1/8"	23,6	12,0
564BNKK0404	1/4"	27,8	16,0
564BNKK0606	3/8"	28,0	19,0
564BNKK0808	1/2"	34,0	21,6
564BNKK1212	3/4"	40,0	30,0
564BNKK1616	1"	46,0	36,0
564BNKK2020	1-1/4"	52,5	46,0
564BNKK2424	1-1/2"	54,0	50,0
564BNKK3232	2"	62,0	65,5
564BNKK4040	2-1/2"	70,0	79,5
564BNKK4848	3"	78,4	90,0
564BNKK6464	4"	94,0	120,0

Brystnippel kon./kon.

(VVS 280)



Rustfri kuglehaner:



Se afsnit 9, varegruppe 552.



SØRENSEN & KOFOED A/S

SMEDEHOLM 7-9 2730 HERLEV TLF: 44 92 10 88 WWW.SKDK.DK

Side 01
Varegruppe 564


LAVTRYKSFITTINGS

Rustfri syrefast Aisi 316

Vare nummer	Str.	Dia	SW
564BNKK0402-RS	1/4"x1/8"	34,0	18,0
564BNKK0602-RS	3/8"x1/8"	36,0	21,0
564BNKK0604-RS	3/8"x1/4"	34,0	21,0
564BNKK0802-RS	1/2"x1/8"	34,0	26,0
564BNKK0804-RS	1/2"x1/4"	34,0	26,0
564BNKK0806-RS	1/2"x3/8"	41,0	26,0
564BNKK1202-RS	3/4"x1/8"	37,0	30,0
564BNKK1204-RS	3/4"x1/4"	37,0	30,0
564BNKK1206-RS	3/4"x3/8"	37,0	30,0
564BNKK1208-RS	3/4"x1/2"	45,0	30,0
564BNKK1604-RS	1"x1/4"	39,0	35,0
564BNKK1606-RS	1"x3/8"	40,0	35,0
564BNKK1608-RS	1"x1/2"	43,2	35,0
564BNKK1612-RS	1"x3/4"	50,0	37,0
564BNKK2006-RS	1-1/4"x3/8"	46,0	46,0
564BNKK2008-RS	1-1/4"x1/2"	48,0	46,0
564BNKK2012-RS	1-1/4"x3/4"	52,0	46,0
564BNKK2016-RS	1-1/4"x1"	54,0	46,0
564BNKK2406-RS	1-1/2"x3/8"	48,0	50,0
564BNKK2408-RS	1-1/2"x1/2"	49,0	50,0
564BNKK2412-RS	1-1/2"x3/4"	53,0	50,0
564BNKK2416-RS	1-1/2"x1"	53,0	50,0
564BNKK2420-RS	1-1/2"x1-1/4"	59,0	50,0
564BNKK3208-RS	2"x1/2"	52,0	63,0
564BNKK3212-RS	2"x3/4"	56,0	63,0
564BNKK3216-RS	2"x1"	57,0	63,0
564BNKK3220-RS	2"x1-1/4"	58,0	63,0
564BNKK3224-RS	2"x1-1/2"	64,0	64,0
564BNKK4016-RS	2-1/2"x1"	63,0	80,0
564BNKK4020-RS	2-1/2"x1-1/4"	66,0	80,0
564BNKK4024-RS	2-1/2"x1-1/2"	66,0	80,0
564BNKK4032-RS	2-1/2"x2"	77,0	76,3
564BNKK4816-RS	3"x1"	68,0	95,0
564BNKK4820-RS	3"x1-1/4"	72,0	95,0
564BNKK4824-RS	3"x1-1/2"	72,0	95,0
564BNKK4832-RS	3"x2"	74,0	95,0
564BNKK4840-RS	3"x2-1/2"	84,0	95,0
564BNKK6420-RS	4"x1-1/4"	82,0	125,0
564BNKK6424-RS	4"x1-1/2"	82,0	125,0
564BNKK6432-RS	4"x2"	82,0	125,0
564BNKK6440-RS	4"x2-1/2"	82,0	125,0
564BNKK6448-RS	4"x3"	94,0	117,4

Brystnippel kon./kon.

(VVS 245)



LAVTRYKSFITTINGS

Rustfri syrefast Aisi 316

Vare nummer	Str.	øA	SW
564FMU0402-RS	1/4"x1/8"	21,5	26,0
564FMU0602-RS	3/8"x1/8"	22,6	30,0
564FMU0604-RS	3/8"x1/4"	26,0	29,0
564FMU0802-RS	1/2"x1/8"	29,4	34,0
564FMU0804-RS	1/2"x1/4"	29,7	33,0
564FMU0806-RS	1/2"x3/8"	29,0	34,0
564FMU1202-RS	3/4"x1/8"	36,7	38,0
564FMU1204-RS	3/4"x1/4"	36,5	34,5
564FMU1206-RS	3/4"x3/8"	36,8	36,5
564FMU1208-RS	3/4"x1/2"	36,7	37,0
564FMU1602-RS	1"x1/8"	43,7	41,7
564FMU1604-RS	1"x1/4"	43,7	42,0
564FMU1606-RS	1"x3/8"	46,3	42,7
564FMU1608-RS	1"x1/2"	44,7	42,8
564FMU1612-RS	1"x3/4"	43,0	42,0
564FMU2008-RS	1-1/4"x1/2"	52,5	49,0
564FMU2012-RS	1-1/4"x3/4"	54,5	48,0
564FMU2016-RS	1-1/4"x1"	52,5	52,0
564FMU2406-RS	1-1/2"x3/8"	59,0	47,0
564FMU2408-RS	1-1/2"x1/2"	59,0	51,0
564FMU2412-RS	1-1/2"x3/4"	59,5	48,5
564FMU2416-RS	1-1/2"x1"	59,0	53,0
564FMU2420-RS	1-1/2"x1-1/4"	59,4	53,0
564FMU3208-RS	2"x1/2"	70,5	50,5
564FMU3212-RS	2"x3/4"	72,5	51,0
564FMU3216-RS	2"x1"	72,8	56,0
564FMU3220-RS	2"x1-1/4"	72,0	56,0
564FMU3224-RS	2"x1-1/2"	72,0	57,0
564FMU4016-RS	2-1/2"x1"	86,7	60,0
564FMU4020-RS	2-1/2"x1-1/4"	86,5	60,0
564FMU4024-RS	2-1/2"x1-1/2"	86,7	60,0
564FMU4032-RS	2-1/2"x2"	86,8	60,8
564FMU4816-RS	3"x1"	100,0	62,0
564FMU4820-RS	3"x1-1/4"	99,0	62,0
564FMU4824-RS	3"x1-1/2"	99,0	62,0
564FMU4832-RS	3"x2"	98,0	62,0
564FMU4840-RS	3"x2-1/2"	100,0	62,0
564FMU6440-RS	4"x2-1/2"	128,0	65,0
564FMU6448-RS	4"x3"	128,0	65,0


Forminsket muffe



LAVTRYKSFITTINGS

Rustfri syrefast Aisi 316

Vare nummer	Str.	L	SW	øD
564FNKL0202-RS	1/8"	45,0	12,5	4,50
564FNKL0404-RS	1/4"	47,0	16,5	6,35
564FNKL0606-RS	3/8"	55,0	20,0	9,50
564FNKL0808-RS	1/2"	64,0	23,5	12,70
564FNKL1212-RS	3/4"	68,0	31,0	19,05
564FNKL1616-RS	1"	71,0	38,5	25,40
564FNKL2020-RS	1-1/4"	80,0	46,0	13,80
564FNKL2424-RS	1-1/2"	95,0	52,0	38,10
564FNKL3232-RS	2"	105,0	62,0	50,80
564FNKL4040-RS	2-1/2"	107,0	80,0	63,50
564FNKL4848-RS	3"	112,0	91,0	76,20
564FNKL6464-RS	4"	130,0	116,5	101,60



LAVTRYKSFITTINGS

Rustfri syrefast Aisi 316

Vare nummer	Str.	øA	L
564MU02-RS	1/8"	15,0	17,0
564MU04-RS	1/4"	18,5	25,0
564MU06-RS	3/8"	21,3	26,0
564MU08-RS	1/2"	27,7	34,0
564MU12-RS	3/4"	33,6	36,0
564MU16-RS	1"	39,5	43,3
564MU20-RS	1-1/4"	49,0	48,0
564MU24-RS	1-1/2"	55,0	48,0
564MU32-RS	2"	67,0	56,0
564MU40-RS	2-1/2"	83,1	65,6
564MU48-RS	3"	100,0	71,0
564MU64-RS	4"	123,5	83,5

Vare nummer	Str.	L
564NRSAM02-RS	1/8"	25,0
564NRSAM04-RS	1/4"	25,0
564NRSAM06-RS	3/8"	25,0
564NRSAM08-RS	1/2"	34,0
564NRSAM12-RS	3/4"	34,0
564NRSAM16-RS	1"	34,0
564NRSAM20-RS	1-1/4"	40,0
564NRSAM24-RS	1-1/2"	40,0
564NRSAM32-RS	2"	40,0
564NRSAM40-RS	2-1/2"	50,0
564NRSAM48-RS	3"	60,0
564NRSAM64-RS	4"	70,0

Muffe

(VVS 270)



Nippelrør - sammensk.



SØRENSEN & KOFOED A/S

SMEDEHOLM 7-9 2730 HERLEV TLF: 44 92 10 88 WWW.SKDK.DK

Side 05
Varegruppe 564

LAVTRYKSFITTINGS

Rustfri syrefast Aisi 316

Vare nummer	Str.	L	Dia
564NRSTK02030M-RS	1/8"	30,0	10,2
564NRSTK02040M-RS	1/8"	40,0	10,2
564NRSTK02060M-RS	1/8"	60,0	10,2
564NRSTK02080M-RS	1/8"	80,0	10,2
564NRSTK04030M-RS	1/4"	30,0	13,5
564NRSTK04040M-RS	1/4"	40,0	13,5
564NRSTK04060M-RS	1/4"	60,0	13,5
564NRSTK04090M-RS	1/4"	90,0	13,5
564NRSTK06030M-RS	3/8"	30,0	17,2
564NRSTK06040M-RS	3/8"	40,0	17,2
564NRSTK06050M-RS	3/8"	50,0	17,2
564NRSTK06060M-RS	3/8"	60,0	17,2
564NRSTK06080M-RS	3/8"	80,0	17,2
564NRSTK06100M-RS	3/8"	100,0	17,2
564NRSTK06180M-RS	3/8"	180,0	17,2
564NRSTK08040M-RS	1/2"	40,0	21,3
564NRSTK08050M-RS	1/2"	50,0	21,3
564NRSTK08060M-RS	1/2"	60,0	21,3
564NRSTK08070M-RS	1/2"	70,0	21,3
564NRSTK08075M-RS	1/2"	75,0	21,3
564NRSTK08080M-RS	1/2"	80,0	21,3
564NRSTK08090M-RS	1/2"	90,0	21,3
564NRSTK08100M-RS	1/2"	100,0	21,3
564NRSTK08120M-RS	1/2"	120,0	21,3
564NRSTK08150M-RS	1/2"	150,0	21,3
564NRSTK08200M-RS	1/2"	200,0	21,3
564NRSTK12040M-RS	3/4"	40,0	26,9
564NRSTK12050M-RS	3/4"	50,0	26,9
564NRSTK12060M-RS	3/4"	60,0	26,9
564NRSTK12080M-RS	3/4"	80,0	26,9
564NRSTK12090M-RS	3/4"	90,0	26,9
564NRSTK12100M-RS	3/4"	100,0	26,9
564NRSTK12110M-RS	3/4"	110,0	26,9
564NRSTK12120M-RS	3/4"	120,0	26,9
564NRSTK12150M-RS	3/4"	150,0	26,9
564NRSTK12200MRS	3/4"	200,0	26,9
564NRSTK16040M-RS	1"	40,0	33,7
564NRSTK16050M-RS	1"	50,0	33,7
564NRSTK16060M-RS	1"	60,0	33,7
564NRSTK16080M-RS	1"	80,0	33,7
564NRSTK16100M-RS	1"	100,0	33,7
564NRSTK16120M-RS	1"	120,0	33,7
564NRSTK16150M-RS	1"	150,0	33,7
564NRSTK16200M-RS	1"	200,0	33,7

(Fortsættes på næste side)

Nippelrørstykker



LAVTRYKSFITTINGS

Rustfri syrefast Aisi 316


Vare nummer	Str.	L	Dia
564NRSTK20060M-RS	1-1/4"	60,0	42,4
564NRSTK20080M-RS	1-1/4"	80,0	42,4
564NRSTK20100M-RS	1-1/4"	100,0	42,4
564NRSTK20150M-RS	1-1/4"	150,0	42,4
564NRSTK20200M-RS	1-1/4"	200,0	42,4
564NRSTK24080M-RS	1-1/2"	80,0	48,3
564NRSTK24100M-RS	1-1/2"	100,0	48,3
564NRSTK24150M-RS	1-1/2"	150,0	48,3
564NRSTK24200M-RS	1-1/2"	200,0	48,3
564NRSTK32100M-RS	2"	100,0	60,3
564NRSTK32150M-RS	2"	150,0	60,3
564NRSTK32200M-RS	2"	200,0	60,3
564NRSTK40100M-RS	2-1/2"	100,0	76,1
564NRSTK40200M-RS	2-1/2"	200,0	76,1
564NRSTK48120M-RS	3"	120,0	88,9
564NRSTK48200M-RS	3"	200,0	88,9
564NRSTK48300M-RS	3"	300,0	88,9
564NRSTK64120M-RS	4"	120,0	114,3
564NRSTK64150M-RS	4"	150,0	114,3
564NRSTK64200M-RS	4"	200,0	114,3
564NRSTK64300M-RS	4"	300,0	114,3

Vare nummer	Str.	Dia	SW
564PROP02-RS	1/8"	19,0	6x6
564PROP04-RS	1/4"	20,0	9x9
564PROP06RS	3/8"	22,0	11x11
564PROP08-RS	1/2"	25,0	13x13
564PROP12-RS	3/4"	27,0	16x16
564PROP16-RS	1"	32,0	20x20
564PROP20-RS	1-1/4"	35,0	24x24
564PROP24-RS	1-1/2"	37,0	25x25
564PROP32-RS	2"	38,0	32x32
564PROP40-RS	2-1/2"	48,0	42x42
564PROP48-RS	3"	52,0	46x46
564PROP64-RS	4"	62,0	58x58

Nippelrørstykker



Prop (WS 291)



LAVTRYKSFITTINGS

Rustfri syrefast Aisi 316

Vare nummer	Str.	L	SW
564RE0402-RS	1/4"x1/8"	15,2	16,0
564RE0602-RS	3/8"x1/8"	16,5	18,0
564RE0604-RS	3/8"x1/4"	16,5	18,0
564RE0802-RS	1/2"x1/8"	21,0	26,0
564RE0804-RS	1/2"x1/4"	21,0	26,0
564RE0806-RS	1/2"x3/8"	21,0	26,0
564RE1204-RS	3/4"x1/4"	24,0	30,0
564RE1206-RS	3/4"x3/8"	24,0	30,0
564RE1208-RS	3/4"x1/2"	24,0	30,0
564RE1604-RS	1"x1/4"	27,0	35,0
564RE1606-RS	1"x3/8"	27,0	35,0
564RE1608-RS	1"x1/2"	27,0	35,0
564RE1612-RS	1"x3/4"	27,0	35,0
564RE2008-RS	1-1/4"x1/2"	30,0	45,0
564RE2012-RS	1-1/4"x3/4"	30,0	45,0
564RE2016-RS	1-1/4"x1"	30,0	45,0
564RE2406-RS	1-1/2"x3/8"	36,0	52,0
564RE2408-RS	1-1/2"x1/2"	36,0	52,0
564RE2412-RS	1-1/2"x3/4"	36,0	52,0
564RE2416-RS	1-1/2"x1"	36,0	52,0
564RE2420-RS	1-1/2"x1-1/4"	36,0	52,0
564RE3204-RS	2"x1/4"	36,0	63,0
564RE3208-RS	2"x1/2"	36,0	63,0
564RE3212-RS	2"x3/4"	36,0	63,0
564RE3216-RS	2"x1"	36,0	63,0
564RE3220-RS	2"x1-1/4"	36,0	63,0
564RE3224-RS	2"x1-1/2"	36,0	63,0
564RE4016-RS	2-1/2"x1"	45,0	81,0
564RE4020-RS	2-1/2"x1-1/4"	45,0	81,0
564RE4024-RS	2-1/2"x1-1/2"	45,0	81,0
564RE4032-RS	2-1/2"x2"	45,0	81,0
564RE4824-RS	3"x1-1/2"	47,0	95,0
564RE4832-RS	3"x2"	47,0	95,0
564RE4840-RS	3"x2-1/2"	47,0	95,0
564RE6432-RS	4"x2"	52,0	119,0
564RE6440-RS	4"x2-1/2"	52,0	119,0
564RE6448-RS	4"x3"	52,0	119,0

Reduktion

(VVS 241)



(Fortsættes på næste side)



LAVTRYKSFITTINGS

Rustfri syrefast Aisi 316

Vare nummer	Str.	L	SW
564MU02-RS	1/8"	13,0	15,0
564MU04-RS	1/4"	17,0	18,0
564MU06-RS	3/8"	19,0	21,0
564MU08-RS	1/2"	20,0	27,0
564MU12-RS	3/4"	24,0	30,0
564MU16-RS	1"	25,0	38,0
564MU20-RS	1-1/4"	28,0	50,0
564MU24-RS	1-1/2"	28,0	55,0
564MU32-RS	2"	34,0	70,0
564MU40-RS	2-1/2"	40,0	92,0
564MU48-RS	3"	45,0	109,0
564MU64-RS	4"	50,0	132,0

Vare nummer	Str.	øA	L	SW
564SV-NK02-RS	1/8"	10,7	25,8	11,1
564SV-NK04-RS	1/4"	14,0	30,6	14,3
564SV-NK06-RS	3/8"	17,2	31,8	17,5
564SV-NK08-RS	1/2"	20,7	36,4	22,2
564SV-NK12-RS	3/4"	26,6	38,1	28,6
564SV-NK16-RS	1"	32,9	42,9	34,9
564SV-NK20-RS	1-1/4"	71,3	49,2	42,8
564SV-NK24-RS	1-1/2"	48,8	54,0	50,8
564SV-NK32-RS	2"	60,3	55,6	63,5
564SV-NK40-RS	2-1/2"	76,1	70,0	80,0

Vare nummer	Str.	L	SW
564SV-NR02RS	1/8"	13,0	15,0
564SV-NR04RS	1/4"	17,0	18,0
564SV-NR06RS	3/8"	19,0	21,0
564SV-NR08RS	1/2"	20,0	27,0
564SV-NR12RS	3/4"	24,0	30,0
564SV-NR16RS	1"	25,0	38,0
564SV-NR20RS	1-1/4"	28,0	50,0
564SV-NR24RS	1-1/2"	28,0	55,0
564SV-NR32RS	2"	34,0	70,0
564SV-NR40RS	2-1/2"	40,0	92,0
564SV-NR48RS	3"	45,0	109,0
564SV-NR64RS	4"	50,0	132,0

Slutmuffe

(VVS 301)



Svejsenippel kon.



Svejse nippelrør



SØRENSEN & KOFOED A/S

SMEDEHOLM 7-9 2730 HERLEV TLF. 44 92 10 88 WWW.SKDK.DK

Side 09
Varegruppe 564

LAVTRYKSFITTINGS

Rustfri syrefast Aisi 316

Vare nummer	Str.	L	SW	S
564SV-UNN08-RS	1/2"	60,0	27,0	24,0
564SV-UNN12-RS	3/4"	66,5	36,0	32,0
564SV-UNN16-RS	1"	74,0	41,0	41,0
564SV-UNN20-RS	1-1/4"	80,8	50,0	46,0
564SV-UNN24-RS	1-1/2"	82,0	60,0	55,0
564SV-UNN32-RS	2"	93,0	70,0	65,0

Vare nummer	Str.	øA	L
564TS-MU0202-RS	1/8"	18,0	17,0
564TS-MU0404-RS	1/4"	21,3	21,0
564TS-MU0606-RS	3/8"	23,5	23,6
564TS-MU0808-RS	1/2"	29,0	27,0
564TS-MU1212-RS	3/4"	35,0	33,0
564TS-MU1616-RS	1"	43,0	38,0
564TS-MU2020-RS	1-1/4"	52,0	45,0
564TS-MU2424-RS	1-1/2"	58,0	50,0
564TS-MU3232-RS	2"	71,0	58,0
564TS-MU4040-RS	2-1/2"	86,6	68,7
564TS-MU4848-RS	3"	99,2	77,8
564TS-MU6464-RS	4"	125	97,0

Svejse union nippel

(VVS 340S)



T-stykke muffe

(VVS 340)



LAVTRYKSFITTINGS

Rustfri syrefast Aisi 316

Vare nummer	Str.	NW x NIW	L1	L2
564TS-RMU0802-RS	1/2"x1/8"	15x6	20,0	26,0
564TS-RMU0804-RS	1/2"x1/4"	15x6	23,0	26,0
564TS-RMU0806-RS	1/2"x3/8"	15x10	26,0	26,0
564TS-RMU1204-RS	3/4"x1/4"	20x8	26,0	28,0
564TS-RMU1206-RS	3/4"x3/8"	20x10	28,0	28,0
564TS-RMU1208-RS	3/4"x1/2"	20x15	31,0	30,0
564TS-RMU1604-RS	1"x1/4"	25x8	26,0	32,0
564TS-RMU1606-RS	1"x3/8"	25x10	28,0	32,0
564TS-RMU1608-RS	1"x1/2"	25x15	33,0	32,0
564TS-RMU1612-RS	1"x3/4"	25x20	35,0	35,0
564TS-RMU2006-RS	1-1/4"x3/8"	32x10	35,0	33,0
564TS-RMU2008-RS	1-1/4"x1/2"	32x15	40,0	33,0
564TS-RMU2012-RS	1-1/4"x3/4"	32x20	40,0	38,0
564TS-RMU02016-RS	1-1/4"x1"	32x25	42,0	40,0
564TS-RMU2406-RS	1-1/2"x3/8"	40x10	40,0	34,0
564TS-RMU2408-RS	1-1/2"x1/2"	40x15	42,0	34,0
564TS-RMU2412-RS	1-1/2"x3/4"	40x20	44,0	40,0
564TS-RMU2416-RS	1-1/2"x1"	40x25	46,0	40,0
564TS-RMU2420-RS	1-1/2"x1-1/4"	40x32	48,0	44,0
564TS-RMU3208-RS	2"x1/2"	50x15	48,0	40,0
564TS-RMU3212-RS	2"x3/4"	50x20	50,0	40,0
564TS-RMU3216-RS	2"x1"	50x25	52,0	44,0
564TS-RMU3220-RS	2"x1-1/4"	50x32	54,0	48,0
564TS-RMU3224-RS	2"x1-1/2"	50x40	55,0	52,0



LAVTRYKSFITTINGS


Rustfri syrefast Aisi 316

Vare nummer	Str.	L	SW
564UNM02-RS	1/8"	29,0	25,0
564UNM04-RS	1/4"	37,5	30,0
564UNM06-RS	3/8"	38,0	35,0
564UNM08-RS	1/2"	42,0	42,0
564UNM12-RS	3/4"	50,4	47,0
564UNM16-RS	1"	48,0	53,0
564UNM20-RS	1-1/4"	59,0	71,0
564UNM24-RS	1-1/2"	64,0	78,0
564UNM32-RS	2"	69,0	92,0
564UNM40-RS	2-1/2"	80,0	112,0
564UNM48-RS	3"	88,0	126,0
564UNM64-RS	4"	108,0	157,0

Vare nummer	Str.	L	SW
564UNMN02-RS	1/8"	40,0	25,0
564UNMN04-RS	1/4"	50,0	30,0
564UNMN06-RS	3/8"	50,0	35,0
564UNMN08-RS	1/2"	56,4	42,0
564UNMN12-RS	3/4"	66,4	47,0
564UNMN16-RS	1"	68,0	53,0
564UNMN20-RS	1-1/4"	83,0	71,0
564UNMN24-RS	1-1/2"	86,3	78,0
564UNMN32-RS	2"	94,0	92,0
564UNMN40-RS	2-1/2"	113,3	112,0
564UNMN48-RS	3"	126,3	126,0
564UNMN64-RS	4"	154,3	157,0

Union muffe/muffe

(VVS 340)



Union muffe/nippel

(VVS 341)



LAVTRYKSFITTINGS

Rustfri syrefast Aisi 316

Vare nummer	Str.	L	SW
564VM0202-RS	1/8"	18,0	17,6
564VM0404-RS	1/4"	21,3	20,0
564VM0606-RS	3/8"	23,5	21,3
564VM0808-RS	1/2"	29,0	27,0
564VM1212-RS	3/4"	35,0	33,0
564VM1616-RS	1"	43,0	38,0
564VM2020-RS	1-1/4"	52,0	45,0
564VM2424-RS	1-1/2"	58,0	50,0
564VM3232-RS	2"	71,0	58,0
564VM4040-RS	2-1/2"	86,5	69,3
564VM4848-RS	3"	99,0	77,5
564VM6464-RS	4"	125,0	97,3

Vare nummer	Str.	L	SW
564VM0202-RS-45	1/8"	18,0	17,5
564VM0404-RS-45	1/4"	21,0	19,4
564VM0606-RS-45	3/8"	26,0	20,7
564VM0808-RS-45	1/2"	29,0	22,0
564VM1212-RS-45	3/4"	35,0	25,0
564VM1616-RS-45	1"	43,0	28,0
564VM2020-RS-45	1-1/4"	52,0	33,0
564VM2424-RS-45	1-1/2"	58,0	36,0
564VM3232-RS-45	2"	71,0	43,0
564VM4040-RS-45	2-1/2"	86,5	48,5
564VM4848-RS-45	3"	99,0	53,8
564VM6464-RS-45	4"	125,0	64,7

Vare nummer	Str.	øB	L1	L2
564VMN0202-RS	1/8"	15,0	26,0	19,0
564VMN0404-RS	1/4"	18,0	28,3	19,0
564VMN0606-RS	3/8"	23,0	35,0	22,5
564VMN0808-RS	1/2"	29,0	42,0	29,0
564VMN1212-RS	3/4"	35,0	50,5	33,0
564VMN1616-RS	1"	43,0	52,0	38,0
564VMN2020-RS	1-1/4"	52,0	60,0	45,0
564VMN2424-RS	1-1/2"	58,0	65,0	50,0
564VMN3232-RS	2"	71,0	74,0	58,0
564VMN4040-RS	2-1/2"	84,0	99,5	68,0
564VMN4848-RS	3"	96,0	115,5	78,0
564VMN6464-RS	4"	121,0	146,5	97,0

Vinkelmuffe

(VVS 90)



Vinkelmuffe - 45°

(VVS 120)



Vinkel muffe/nippel

(VVS 92)



SØRENSEN & KOFOED A/S

SMEDEHOLM 7-9 2730 HERLEV TLF. 44 92 10 88 WWW.SKDK.DK