



ART. T01 Diritto filetto cilindrico maschio con O-Ring
Straight male adaptor (parallel)


CODICE	ØD	G	ØC	ØB	H	L			
T0104M10	4	M10	2,5	14,0	7,5	21,3	10	2,5	50
T010418	4	1/8	2,5	14,0	5,5	19,0	10	2,5	50
T010414	4	1/4	2,5	17,5	6,5	20,8	10	2,5	50
T0106M10	6	M10	4,0	14,0	7,5	26,8	12	4,0	50
T010618	6	1/8	4,0	14,0	5,5	24,5	12	4,0	50
T010614	6	1/4	4,0	17,5	6,5	26,0	12	4,0	50
T0108M10	8	M10	6,0	14,0	7,5	28,1	14	5,0	50
T010818	8	1/8	5,0	14,0	5,5	25,7	14	5,0	50
T010814	8	1/4	6,0	17,5	6,5	27,2	14	6,0	50
T011014	10	1/4	7,0	17,5	6,5	28,7	18	7,0	50


ART. T03 Diritto innestabile
Straight connector


CODICE	ØD	ØD1	ØC	ØB	ØB1	L	
T030400	4	4	3	9,5	9,5	32,0	50
T030406	4	6	3	9,5	11,5	32,5	50
T030600	6	6	5	11,5	11,5	35,6	50
T030608	6	8	5	11,5	13,5	36,0	50
T030800	8	8	7	13,5	13,5	38,0	25
T030810	8	10	7	13,5	17,0	32,5	50
T031000	10	10	9	17,0	17,0	42,3	50
T031012	10	12	9	17,0	20,0	44,0	50
T031200	12	12	10	20,0	20,0	46,2	25


ART. T04 Gomito innestabile
Elbow connector

CODICE	ØD	ØC	ØB	L	ØE	
T040400	4	3	9,5	17,2	3,2	50
T040600	6	5	11,5	20,8	3,2	50
T040800	8	7	13,5	23,0	3,2	50
T041000	10	9	17,0	26,4	4,3	50
T041200	12	10	20,0	28,9	4,2	25



ART. T04LO Gomito innestabile con codolo
Plug-in elbow connector

CODICE	ØD	ØC	ØB	L	L1	ØA	L2	
T0404L0	4	3	9,5	17,2	20,75	4	16,7	50
T0406L0	6	5	11,5	20,8	24,25	6	19,5	50
T0408L0	8	7	13,5	23,0	27,25	8	21,0	50
T0410L0	10	9	17,0	26,4	31,80	10	24,0	50
T0412L0	12	10	20,0	28,9	36,00	12	25,0	25




ART. T05 T innestabile
T connector

CODICE	ØD	ØD1	ØC	ØB	L		
T050400	4	4	3,0	9,5	17,2		50
T050604	6	4	5,3	13,0	19,2		50
T050600	6	6	5,0	11,5	20,8		50
T050806	8	6	7,1	14,4	22,7		25
T050800	8	8	7,0	13,5	23,0		50
T051008	10	8	9,3	18,4	27,9		25
T051000	10	10	9,0	17,0	26,4		25
T051210	12	10	10,0	21,0	29,9		25
T051200	12	12	10,0	20,0	28,9		10




ART. T05LO T Innestabile con codolo centrale
Plug-in tee connector (center)

CODICE	ØD	ØC	ØB	L	L1	ØA	L2	
T0504L0	4	3	9,5	17,2	20,75	4	16,7	50
T0506L0	6	5	11,5	20,8	24,25	6	19,5	50
T0508L0	8	7	13,5	23,0	27,25	8	21,0	50
T0510L0	10	9	17,0	26,4	31,80	10	24,0	25
T0512L0	12	10	20,0	28,9	36,00	12	25,0	10




ART. T05VO T Innestabile con codolo laterale
Plug-in tee connector (lateral)

CODICE	ØD	ØB	L	L1	ØA	L2	
T0504V0	4	9,5	17,2	20,75	4	16,7	50
T0506V0	6	11,5	20,8	24,25	6	19,5	50
T0508V0	8	13,5	23,0	27,25	8	21,0	50
T0510V0	10	17,0	26,4	31,80	10	24,0	25
T0512V0	12	20,0	28,9	36,00	12	25,0	10




ART. T06 Innesto filetto cilindrico con O-Ring
Adaptor parallel (short)

CODICE	ØD	G	ØC	ØB	H	L	ØA		
T060418	4	1/8	2	14	5,5	28,7	6,0	14	50
T060414	4	1/4	2	18	6,5	30,7	8,0	16	50
T060618	6	1/8	4	14	5,5	31,5	6,0	14	50
T060614	6	1/4	4	18	6,5	33,5	7,8	16	50
T060818	8	1/8	6	14	5,5	33,0	6,0	14	50
T060814	8	1/4	6	18	6,5	35,0	8,0	16	50
T061014	10	1/4	8	18	6,5	38,0	8,0	16	50
T061214	12	1/4	9	18	6,5	39,0	8,0	16	25




ART. T08 Riduzione
Reducer


CODICE	ØD1	ØD	ØC	ØB	L	L1	
T080604	6	4	3	9,5	35,5	19,5	50
T080804	8	4	3	9,5	37,0	21,0	50
T081004	10	4	3	9,5	40,0	24,0	25
T081204	12	4	3	9,5	41,0	25,0	25
T080806	8	6	5	11,5	39,05	23,0	50
T081006	10	6	5	11,5	42,05	24,0	25
T081206	12	6	5	11,5	43,05	25,0	25
T081008	10	8	7	13,5	43,0	26,25	25
T081208	12	8	7	13,5	44,0	25,0	25
T081210	12	10	9	17,0	46,15	27,55	25


ART. T09 Tappo
Plug

CODICE	ØD	ØB	L	
T090400	4	7,0	25,0	100
T090600	6	9,5	27,5	100
T090800	8	12,0	30,0	100
T091000	10	14,0	32,5	100
T091200	12	16,0	35,0	100


ART. T10 Passaparete
Bulkhead connector

CODICE	ØD	ØB	L	M	Imax		
T100400	4	9,5	32,0	11x1	8	14	50
T100600	6	11,5	36,1	14x1	8	17	50
T100800	8	13,5	38,0	16x1	10	18	50
T101000	10	17,5	42,3	20x1	12	24	25
T101200	12	20,0	46,2	22x1	17	26	25


ART. T10L Passaparete a "L"
Elbow bulkhead

CODICE	ØD	M	B	E	H	L max	
T10L0400	4	12x1	28,5	19,0	14	6	25
T10L0600	6	14x1	32,1	19,2	17	7	25
T10L0800	8	16x1	39,4	23,0	19	7,5	25
T10L1000	10	20x1	44,8	28,2	24	9,5	25
T10L1200	12	22x1	46,6	29,5	27	10	50

